


Accepted Manuscript

The Value of Diagnostic Hysteroscopy before Operative Hysteroscopy for Suspected Abnormal Intra-uterine Findings

Shiri Shinar, M.D Guy Bibi, M.D Lili Barzilay, RN Paula Rubens, M.D Benny Almog, M.D Ishai Levin, M.D



PII: S1553-4650(13)01204-1

DOI: [10.1016/j.jmig.2013.08.710](https://doi.org/10.1016/j.jmig.2013.08.710)

Reference: JMIG 2153

To appear in: *The Journal of Minimally Invasive Gynecology*

Received Date: 18 June 2013

Revised Date: 19 August 2013

Accepted Date: 24 August 2013

Please cite this article as: Shinar S, Bibi G, Barzilay L, Rubens P, Almog B, Levin I, The Value of Diagnostic Hysteroscopy before Operative Hysteroscopy for Suspected Abnormal Intra-uterine Findings, *The Journal of Minimally Invasive Gynecology* (2013), doi: 10.1016/j.jmig.2013.08.710.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The Value of Diagnostic Hysteroscopy before Operative Hysteroscopy for Suspected Abnormal
Intra-uterine Findings.

**Shiri Shinar, M.D, Guy Bibi, M.D, Lili Barzilay, RN, Paula Rubens, M.D, Benny Almog,
M.D and Ishai Levin, M.D.**

The Sarah Racine IVF Unit and the department of Gynecology

Lis Maternity Hospital, Tel Aviv Sourasky medical center

Affiliated to the Sackler School of medicine, Tel Aviv University

Corresponding Author

Ishai Levin, M.D.

Department of Gynecology, Lis Maternity Hospital, Tel Aviv Sourasky Medical Center

6 Weizmann Street, Tel Aviv 69234

Email: ishail@tlvmc.gov.il

Tel: +972-52-4266977

Fax: +972-3-6925729

Précis: Diagnostic hysteroscopy contributes little when myomas and endometrial
hyperplasia are suspected on TVUS and should be used sparingly when such pathology is
suspected as interface between TVUS and operative hysteroscopy.

Abstract

Download English Version:

<https://daneshyari.com/en/article/3962005>

Download Persian Version:

<https://daneshyari.com/article/3962005>

[Daneshyari.com](https://daneshyari.com)