

## Subject Index

- Abscess  
sterile pretibial abscess after ACL reconstruction from bioabsorbable interference screws, 911.e1-911.e4 (Case Report)
- Achilles tendon repair  
endoscopic-assisted, with plantaris tendon augmentation, 556.e1-557.e5 (Technical Note)
- ACL. *See* Anterior cruciate ligament (ACL).
- Acoustic stiffness  
sequential changes in implanted cartilage after autologous osteochondral transplantation, 647-654, 1137-1141 (Letter)
- Acromioclavicular joint  
biomechanical analysis of resection length and joint compliance distal clavicle excision, 1278-1284  
cyst, massive: arthroscopic excision of, 446.e1-446.e4 (Case Report)  
reconstruction using biologic and suture fixation, 785.e1-785.e7 (Technical Note)  
reconstruction using peroneus brevis tendon allograft, 788.e1-788.e6 (Technical Note)  
reoperation after arthroscopic subacromial decompression, 804-808  
three-dimensional CT scan of the external third of the clavicle, 29-33  
total dislocation, minimally invasive coracoclavicular ligament augmentation with a flip button/polydioxanone repair for treatment of, 1132.e1-1132.e5 (Technical Note)
- Acromion  
arthroscopic treatment of isolated fracture of the posterolateral angle of, 798.e1-798.e3 (Case Report)
- Acromioplasty  
rotator cuff repair with and without subacromial decompression, 81-88
- Adhesion  
hip arthroscopy after previous surgical hip dislocation for femoroacetabular impingement, 1285-1289.e2
- Adolescents. *See* pediatrics.
- Age  
a new articulated distraction arthroplasty device for treatment of osteoarthritis, 833-838
- Ahlfbeck disease  
postarthroscopic osteonecrosis of the knee, 428-438.e3 (Current Concepts)
- Alex stitch  
for rotator cuff repair, 440.e1-440.e4 (Technical Note)
- All-inside repair  
all-inside suture technique for Palmer class 1b triangular fibrocartilage repair, 1130.e1-1130.e4 (Technical Note)  
an alternative method for ACL reconstruction, 451 (Letter)  
novel technique of all-inside triangular fibrocartilage complex repair, 1357.e1-1357.e4 (Technical Note)  
suturing complete radial tears of the lateral meniscus, 1249.e1-1249.e7 (Case Report)  
using the meniscus arrow: long-term clinical follow-up of 113 patients, 394-399
- Allografts  
acromioclavicular joint reconstruction using peroneus brevis tendon allograft, 788.e1-788.e6 (Technical Note)  
arthroscopic tibial inlay for PCL reconstruction, 1356.e1-1356.e4 (Technical Note)  
failure of primary ACL surgery using anterior tibialis allograft, 469-475, 1026 (Letter)  
mechanical properties of patellar tendon allografts subjected to chemical sterilization, 400-404.e1  
meniscus allograft transplantation: ten-year results of cryopreserved allografts, 388-393.e3  
osteoarticular allograft transplantation for large humeral head defects, 322.e1-322.e5 (Technical Note)  
PCL reconstruction using tibialis anterior tendon allograft, 323.e1-323.e4 (Technical Note)
- $\alpha$ -BSM calcium phosphate cement  
evaluation of tendon graft fixation using, 1087-1092
- Analgesia. *See* pain management.
- Anatomy  
arthroscopic anatomy and surgical techniques for peritrochanteric space disorders in the hip, 1246.e1-1246.e5 (Technical Note)  
arthroscopic perspective of the axillary nerve in relation to the glenoid and arm position: a cadaveric study, 1271-1277  
arthroscopy, anatomy, and translational research, 233-234 (Editorial)  
attachments of the fiber bundles of PCL, 284-290  
comparative analysis of the morphologic structure of quadriceps and patellar tendon, 744-750  
double-bundle technique for ACL reconstruction: tunnel positioning with a transtibial technique, 7-13  
dual direct lateral portals for treatment of osteochondritis dissecans of the capitellum, 723-728  
of fetal ACL, with histologic study, 278-283  
frequency of various tear patterns in full-thickness tears of the rotator cuff, 1052-1059  
and function of the low posterolateral portal in addressing posterior labral pathology, 999-1005  
of the iliotibial tract, 269-274  
incidence of the anterior meniscofemoral ligament in ACL-deficient knees, 275-277  
morphologic and histologic comparison between the patella and hamstring tendons grafts, 751-756  
a new symptomatic intra-articular cord-like structure associated with discoid meniscus, 228.e1-228.e7 (Case Report)  
open screw fixation vs. arthroscopic suture fixation of tibial PCL avulsion injuries, 1226-1230  
osseous landmarks of the femoral attachment of the ACL, 1218-1225  
the reproducibility of radiographic measurement of lateral meniscus horn position, 1079-1086  
risks of shoulder arthroscopy portals: cadaveric study, 529-536  
rotator cuff repair, rationale for different suture-anchor repair configurations, 662-669 (Current Concepts)  
safety of the superior-medial shoulder arthroscopy portal, 247-250  
the subscapularis footprint insertion site, 251-254  
surgical biomechanics of patellofemoral joint, 542-553 (Current Concepts)  
three-dimensional CT scan of the external third of the clavicle, 29-33  
variations in the long head of biceps: contribution to shoulder dysfunction, 1012-1018 (Concise Review)  
vascular anatomy of the subacromial space: a map of bleeding points, 978-984

- Anesthesia  
 continuous infusion of a local anesthetic vs. interscalene block for postoperative pain control after arthroscopic shoulder surgery, 1006-1011
- Animal models  
 ACL reconstruction with a porcine xenograft: a serologic, histologic, and biomechanical study in primates, 411-419.e2  
 bone morphogenetic proteins and smad expression in ovine tendon-bone healing, 205-210  
 comparison interference screws in an ovine ACL reconstruction model, 757-765.e2  
 fatty infiltration of the torn rotator cuff worsens over time, 717-722  
 histologic assessment of healing of the acetabular labrum in an ovine model, 376-380  
 histologic changes after meniscal repair using radiofrequency energy, 299-304  
 influence of femoral technique for graft placement on ACL reconstruction using a canine model with a rapidly growing physis, 1309-1319  
 intra-articular injection of mesenchymal stromal cells in partially torn ACL in a rat model, 610-617  
 low-intensity pulsed ultrasound, effects on tendon-bone healing in an intra-articular sheep knee model, 197-204  
 matrix-encapsulation cell-seeding technique to prevent cell detachment of autologous chondrocytes, 877-883  
 postoperative structural properties of soft tissue ACL reconstructions: an in vivo study in sheep, 14-20  
 repair of full-thickness cartilage defects with cells of different origin in a rabbit model, 178-187  
 sequential changes in implanted cartilage after autologous osteochondral transplantation, 647-654, 1137-1141 (Letter)  
 single-row suture anchor repair of the rotator cuff vs. double-row repair in a bovine model, 1265-1270  
 tendon-bone healing enhancement using injectable tricalcium phosphate in a dog ACL reconstruction model, 455-462
- Ankle arthroscopy  
 arthroscopic-assisted lateral ligamentous reconstruction in combined ankle and subtalar instability, 554.e1-555.e5 (Technical Note)  
 arthroscopic subtalar arthrodesis, posterior approach in the prone position, 445.e1-445.e4 (Technical Note)  
 arthroscopically assisted ankle fusion in patients with end-stage tuberculosis, 919-922  
 and endoscopy of the foot and ankle: indications for new techniques, 889-902 (Current Concepts)  
 intra-articular fibrous tissue formation following ankle fracture: the significance of arthroscopic debridement, 89-93  
 modified posterior portals for hindfoot arthroscopy, 1116-1123
- Anterior cruciate ligament (ACL)  
 acute rupture of the ACL and patellar tendon in a collegiate athlete, 112.e1-112.e4 (Case Report)  
 allograft culture results and infections, 1100-1103  
 arthroscopic identification of the ACL posterolateral bundle: the figure-of-four position, 1128.e1-1129.e3 (Technical Note)  
 fetal, an anatomic and histologic study, 278-283  
 incidence of the anterior meniscomfemoral ligament in ACL-deficient knees, 275-277  
 intercondylar notch, accuracy of radiographic measurements of, 261-268.e2  
 intra-articular ganglia of the knee joint associated with the, 800.e1-800.e6 (Case Report)  
 intra-articular injection of mesenchymal stromal cells in partially torn ACL in a rat model, 610-617  
 low-intensity pulsed ultrasound, effects on tendon-bone healing in an intra-articular sheep knee model, 197-204  
 meta-analysis of the incidence of ACL tears as a function of gender, sport, and a knee injury-reduction regimen, 1320-1325  
 osseous landmarks of the femoral attachment of the ACL, 1218-1225  
 osteochondral grafting for treatment of a massive chondral defect in the knee of a young adult with ACL deficit, 1024.e1-1024.e4 (Case Report)  
 and a proposal for a new tibial guide system for PCL reconstruction, 793.e1-793.e4 (Technical Note)
- Anterior cruciate ligament (ACL) reconstruction  
 "all-inside," an alternative method for, 451 (Letter)  
 augmentation of tibial fixation of soft-tissue grafts, 1193-1197  
 Bilok interference screws for, clinical and radiographic outcomes, 476-481  
 comparison interference screws in an ovine model, 757-765.e2  
 with cross-pin or interference screw fixation: an in vivo study in sheep, 14-20  
 detecting inaccurate cross pin positioning, 1247.e1-1247.e3 (Technical Note)  
 double-bundle  
 with 4 vs. 8 strands of tendon, 766-770  
 anatomic reconstruction of the ACL, using hamstring tendons, 602-609, 1027-1028 (Letter)  
 bone tunnel enlargement after, 291-298  
 current techniques in, 938-947  
 with hamstring tendon autografts, 109.e1-109.e4 (Technical Note)  
 new hybrid technique for, 1354.e1-1355.e5 (Technical Note)  
 radiologic evaluation of femoral and tibial tunnels created with the transtibial tunnel technique, 869-876  
 revision surgery, 1250.e1-1250.e3 (Case Report)  
 second-look arthroscopic evaluations relation with postoperative knee stability, 1198-1209  
 using tunnel positioning with a transtibial technique, 7-13  
 vs. single-bundle, a prospective randomized study of 4-strand semitendinosus tendon ACL reconstruction, 618-628  
 vs. single-bundle: strain pattern comparison with the native ACL, 1210-1217  
 effect of femoral tunnel on laxity or clinical outcome, 1326-1333  
 the effect of femoral tunnel starting position on tunnel length, 1187-1192  
 extended-duration thromboprophylaxis with after, 696-702  
 functional assessment and muscle strength before and after, 21-28.e1-11  
 graft preparation: an alternative to the whipstitch, 326.e1-326.e3 (Technical Note)  
 hamstring grafts  
 with 4 vs. 8 strands of tendon, 766-770

Download English Version:

<https://daneshyari.com/en/article/4045323>

Download Persian Version:

<https://daneshyari.com/article/4045323>

[Daneshyari.com](https://daneshyari.com)