

# Index

Note: Page numbers of article titles are in **boldface** type.

## A

Arterial pedicle rupture, microvascular, in osteoradionecrosis, 672–673

## B

Buccopharyngectomy, transmaxillary, exposure of osteosynthetic material following, 701, 702, 703

## D

Dead space, obliteration of, for microsurgical reconstruction, 635–636  
postoperative management of, 734, 735

## E

Esophagectomy defect, total cervical, reconstruction of, patient presentation following, 690–692

## F

Face, reconstruction of, unfavorable results in, 645–647, 648, 649  
Fistula(ae), after successful free tissue transfer, case study of, 741, 742  
prevention and treatment of, **739–745**  
erroneous execution of reconstruction causing, 741–743  
following free flap reconstruction, management of, 663–664  
in reconstruction plate with soft tissue flap, 743  
in reconstruction plate with vascularized bone, 742, 743  
inapt flap design causing, 740–741  
orocutaneous, case study of, 744  
orocutaneous and oronasocutaneous, approach to, 743–744  
risk factors for, 739–740, 741  
Forehead, reconstruction of, unfavorable results in, 646, 648  
Free flap donor site, hair-bearing, 677–678  
Free flap reconstruction, checking blood circulation in flaps and tissues following, 734  
defect-specific, 654–655, 656  
donor site complications associated with, 664–66

failure of, choice of corrective techniques after, 704  
multitissular allograft following, 705  
fistula following, management of, 663–664  
in vessel-depleted neck, 673–674  
microsurgical, and trismus secondary release surgery, after surgical cancer treatment, **747–752**  
donor site selection for, 748–751  
postoperative follow-up and rehabilitation after, 751  
techniques of, and pitfalls, 748–751  
microvascular complications of, management of, 655, 656, 657  
secondary, 660–663  
new free flap needed in, recipient vascular site evaluation for, 703–704  
osteocutaneous, reliability of enhancement of, 701–703, 704  
osteoradionecrosis following, management of, 664, 665  
selection of recipient vessels for free flap transfer in, 734  
strictures following, management of, 664  
unfavorable, methods for salvaging, 736  
unfavorable outcomes in, case reports of, 655–660, 661, 662  
management of, experience from MD Anderson Cancer Center, **653–667**  
unfavorable postoperative complications of, management of, 663  
Free flap transfer, for soft tissue reconstruction, avoiding poor results after, 709–710  
Free tissue transfer, development of clinical care pathway for, 684  
morbidity of, minimizing of, 684–687  
overnight intubation versus tracheostomy in, 684–685  
postoperative free flap monitoring in, 686–687  
postoperative infections after, 685–686  
postoperative management of, 684–687  
radiotherapy considerations for, 670–672  
salvage of free flaps for, 670, 671  
second, 650  
successful, fistulae after, prevention and treatment of, **739–745**

Free (*continued*)

- to lip and oral commissure, 628–629
- unfavorable results after, lessons learned by University of Washington, **683–693**
- Mayo Clinic experience with, **669–682**
- University of Toronto experience with, **639–651**

**G**

- Glossectomies, near-total and total, approach to, 622, 623
- Glossectomy defect, anterior, with osteocutaneous skin paddle free flap, 700, 702
  - total, reconstruction of, 687–689
    - lack of tongue bulk following, 687
    - patient presentation following, 688–689, 690
    - unfavorable outcomes following, steps for avoiding, 689, 690
- Glossectomy reconstruction, total, 679–681

**H**

- Head and neck, free tissue transfer to. *See Free tissue transfer.*
- microsurgical reconstruction of. *See Microsurgical reconstruction.*
- Hemiglossectomy defect, approach to, 622
- Henri Mondor Hospital, experience with failure of microsurgical reconstruction of head and neck, **695–706**
- standard practice of, 696

**I**

- Implants, osseointegrated, reconstruction of mandible and, 675–677
- Infection(s), surgical site, effect of wound irradiation on, 731–734
  - in head and neck reconstruction, 729–730
- Infections, postoperative, after free tissue transfer, 685–686
- Intraoral reconstruction, unfavorable results following, 732–734
  - strategies to avoid, 734–736

**J**

- Japan National Cancer Hospital, lessons learned from unfavorable microsurgical reconstruction, **729–737**
- Jejunal free flap reconstruction, surgical tenets for, 690

**L**

- Laryngopharyngeal and esophageal reconstruction, microsurgical, 634–635

- Laryngopharyngectomy, total, reconstruction of, 689–692
- Lip(s), and perioral area, reconstruction of, unfavorable results in, 646–647, 648
  - free tissue transfer to, approach to, 628
  - unfavorable results of, 628
- Liverpool University, opinion on unfavorable results in microsurgical reconstruction, **707–718**

**M**

- Mandible, defect of, length and type of, flap preference in, 710–714
  - microsurgical reconstruction of, approach to, 623
  - defect classification for, 623
  - reconstruction plate for, 623–624
  - unfavorable results after, 622–624
  - reconstruction of, and osseointegrated implants, 675–677
    - unfavorable results in, 642–643, 644
- Mandibular arch, anterior, reconstruction of, 674, 675
- Mandibular reconstruction, flap transfer for, avoiding poor results after, 710–714
- Manibulectomy, high, and condyle head, special considerations in, 624
- Maxilla, microsurgical reconstruction of, approach to, 624–625
  - special considerations for, 625–626
  - unfavorable results after, 624–626
  - reconstruction of, unfavorable results in, 644–645
- Maxilla and midface, reconstruction of, flap transfer for, avoiding poor results of, 712, 713, 714
- Maxillectomy, extent and type of, flap type preference related to, 712, 714
- Maxillectomy and midfacial defects, complex, delayed versus immediate microsurgical reconstruction of, **719–727**
  - complications of, 721, 722
  - functional/aesthetic outcomes, 721–725
  - methods of, 720
  - results of, 720–722
- Maxillectomy defect, class I, reconstruction of, 713, 714
  - class II, reconstruction of, 713, 714, 715
  - class III, reconstruction of, 713, 714
  - class IV, reconstruction of, 714–715
  - class V, reconstruction of, 715, 716
- Mayo Clinic, experience with unfavorable results after free tissue transfer, **669–682**
- MD Anderson Cancer Center, experience with management of unfavorable outcomes of free flap reconstruction, **653–667**
- Mexico City, tertiary center in, microsurgical construction of complex maxillectomy and midfacial defects, **719–727**

Download English Version:

<https://daneshyari.com/en/article/4107805>

Download Persian Version:

<https://daneshyari.com/article/4107805>

[Daneshyari.com](https://daneshyari.com)