

CLINICS IN PLASTIC SURGERY

Clin Plastic Surg 33 (2006) 303–306

Index

Note: Page numbers of article titles are in boldface type.

A

Abdomen, burst, with acute wound failure, abdominal wall defects in, 283-285 gunshot trauma to, staged reconstruction after, 292-293 wounds of, bacterial clearance in, vacuum-assisted closure and, 216-217 blood flow in vacuum-assisted closure, 215-216 granulation tissue increase with vacuumassisted closure, 216 peripheral edema of, vacuum-assisted closure and, 214-215 treatment of, effects of vacuum-assisted closure therapy on, 214-217 vacuum-assisted closure for, 213-224 Abdominal wall, anterior, anatomy of, 171 reconstruction of, 259-267 components separation for, 264 fascial release for, 264 indications for, 259 mesh and biomaterials for, 264-266 modalities for, 262 pedicled muscle and myocutaneous flaps for, 266-267 preoperative evaluation for, 259-262 skin and fascial grafts for, 262-264 techniques for, 262-267 tissue expansion for, 264 vacuum-assisted closure for, 262 congenital defects of, 170-171 deep fascia of, 172 defect(s) of, acquired, 281 classification of, 231-232 closure without relaxing incisions, 242 complete, clean, adequate skin, 235, 236 contaminated adequate skin, 236 from complications of surgical procedures, 281-294

coverage and reconstruction after, 290-292 management protocols for, 282 principles of management and reconstruction in, 282-283 using alloplastic materials, 285-287, 288 in burst abdomen with acute wound failure, 283-285 in morbid obesity, 237 in recurrent incisional hernias, 287-290 initial assessment in, 169 large, components separation technique in, 244 partial, clean-contaminated, 233, 234-235 contaminated, 234, 235-236 reconstruction with small incisions, 243 vacuum-assisted closure of, clinical experiences with, 217-222 embryology of, 170 full-thickness defects of, vacuum-assisted closure of, 219-220, 221, 222 function of, restoration of, 169-170 gunshot blast injury to, muscle flap for management of, 297-298, 299 lymphatics of, 175 musculofascial layer of, 172, 173 musculoskeletal anatomy of, 248 neurovascular anatomy of, 248 partial thickness defects of, vacuum-assisted closure of, 218-221 physiology of, 175-176 reconstruction of, autologous versus nonautologous, 228 bioprosthetics in, 199-211 classification of defects for, 231-232 components separation for, 229-230 coordination of care for, 227 factors significant for, 182 free tissue transfer in, 231 recipient vessels for, 275-277 goals of, 226 immediate versus delayed, 227

local and distant flaps for, 230	Algorithm(s), for components separation technique,
options for, 228–231	255–256
analysis of, 227	updated, for reconstruction of abdominal wall,
postoperative management of, 226, 277-278	225–240
preoperative assessment for, 226	Allo-derm, for reconstruction of abdominal wall,
primary closure/vacuum-assisted closure	228–229
in, 228	Alloplastic materials, complications following use of,
primary versus secondary options for, 228	abdominal wall defects as, 285–287, 288
prosthetic materials, isografts, and Allo-derm	Arcuate line, 174
for, 228–229	Atrium mesh, 186
prosthetic mesh for, 274, 277	Attituti illesti, 100
prosthetics in, 181–197	
history of, 182	
materials for. See Prosthetic materials.	
preoperative evaluation for, 182–183	В
surgical planning for, 226–227	Bioprosthetic materials, for abdominal wall
tissue expansion for, 228, 292	reconstruction, 201–207
updated algorithm for, 225-240	,
using latissimus dorsi muscle free flap,	Bioprosthetic mesh, advantages of, 207
273–275, 276	current clinical use of, for abdominal wall
using rectus femoris musculocutaneous free	reconstruction, 208–210
flap, 274–275	disadvantages of, 207–208
using vascularized tensor fascia lata and	for reconstruction of anterior abdominal wall,
composite free anterolateral thigh flap,	264–266
272–273	rationale for, in abdominal wall reconstruction,
with anterolateral thigh free flap, 272	199–201
with free flaps, 269–280	Bioprosthetics, in reconstruction of abdominal wall,
advantages of, 270	199–211
complications of, 278	Bowel obstruction, as complication of abdominal wall
disadvantages of, 270	reconstruction using prosthetic materials, 193
functional muscle transfer for, 270–271	
in pediatric population, 278	
indications for, 269–270	
with free tensor fascia lata flap, 271–272	C
wound bed evaluation in, 226	
reconstruction using prosthetic materials, bowel	Components separation technique, algorithms for,
obstruction following, 193	255–256
cases illustrating, 194–195	at Univeristy of Pittsburgh School of Medicine,
cost analysis of, 193	249–253
extrusion following, 192	clinical outcome analysis of, and update of surgical
fistula/chronic sinus tract following, 192	modifications, 247–257
hematoma following, 192	endoscopically assisted, 254
infection as complication of, 191	for reconstruction of abdominal wall, 229–230
pain following, 193	for reconstruction of abdominal wall defects
recurrence following, 192	without relaxing incisions, 242
relative costs of, 193	for reconstruction of abdominal wall with small
seroma following, 191–192	relaxing incisions, 243
reconstructive anatomy of, 176–178	history of, 248–249
skeletal system and, 171	in large defects of abdominal wall, 244
skin and subcutaneous tissue of, 174–175	inception and evolution of, 241–246
structural and functional anatomy of, 169-179	lateral incisions and, 253
subserous and peritoneal fascia of, 172-173	modifications of, 253–254
superficial fascia of, 171–172	periumbilical perforator preservation and, 254
vascular supply and innervation of, 174-175	results of, 254–255
Acellular human dermis, for abdominal wall recon-	tissue expanders and, 253
strucion, 202–204	Composite free anterolateral thigh flap, and tensor
Acellular porcine dermis, for abdominal wall recon-	fascia lata flap, in reconstruction of abdominal wall,
strucion, 204–207	272–273

technique,

Download English Version:

https://daneshyari.com/en/article/4108564

Download Persian Version:

https://daneshyari.com/article/4108564

<u>Daneshyari.com</u>