

Keyword index

16S ribosomal RNA – Morphological, toxicological and molecular characterization of a benthic *Nodularia* isolated from Atlantic estuarine environments, 9

16S rRNA – Phylogenetic diversity of archaeal 16S rRNA and ammonia monooxygenase genes from tropical estuarine sediments on the central west coast of India, 177

16S rRNA gene – Phylogeny, diversity and host specialization in the phylum *Synergistetes* with emphasis on strains and clones of human origin, 91 – Novel prokaryotic diversity in sediments of Tunisian multipond solar saltern, 573 – Structural differentiation of bacterial communities in indole-degrading bioreactors under denitrifying and sulfate-reducing conditions, 687

1H-indole-3-carboxylic acid – Purification and biological evaluation of the metabolites produced by *Streptomyces* sp. TK-VL_333, 335

2,3-Dihydroxy-5-(hydroxymethyl) benzaldehyde – Purification and biological evaluation of the metabolites produced by *Streptomyces* sp. TK-VL_333, 335

2,4-Diacetylphloroglucinol – Fluorescent pseudomonads as biocontrol agents for sustainable agricultural systems, 464

2-DIGE – Proteomic analysis of *Escherichia coli* with experimentally induced resistance to piperacillin/tazobactam, 268

2-Deoxystreptamine – Heterologous production of ribostamycin derivatives in engineered *Escherichia coli*, 526

3,4-Dichloroaniline – Proteomic study of linuron and 3,4-dichloroaniline degradation by *Variovorax* sp. WDL1: evidence for the involvement of an aniline dioxygenase-related multicomponent protein, 208

A

Acetic acid-2-hydroxy-6-(3-oxo-butyl)-phenyl ester – Purification and biological evaluation of the metabolites produced by *Streptomyces* sp. TK-VL_333, 335

Acidic pH – The PmrAB system in *Erwinia amylovora* renders the pathogen more

susceptible to polymyxin B and more resistant to excess iron, 153

Acinetobacter baumannii – Isolation and characterization of Φ AB2: a novel bacteriophage of *Acinetobacter baumannii*, 308

Actinobacteria – Purification and biological evaluation of the metabolites produced by *Streptomyces* sp. TK-VL_333, 335

Adaptation – The biodiversity of beneficial microbe-host mutualism: the case of rhizobia, 453

adi – RcsB plays a central role in H-NS-dependent regulation of motility and acid stress resistance in *Escherichia coli*, 363

Aggregatibacter actinomycetemcomitans – Repression of aerobic leukotoxin transcription by integration host factor in *Aggregatibacter actinomycetemcomitans*, 541

Alfalfa – Fluorescent pseudomonads as biocontrol agents for sustainable agricultural systems, 464

Allostery – Jacques Monod, 1910–1976: his life, his work and his commitments, 68 – The scientific legacy of Jacques Monod, 77

Aminoglycosides – Heterologous production of ribostamycin derivatives in engineered *Escherichia coli*, 526

Ammonia oxidation – Phylogenetic diversity of archaeal 16S rRNA and ammonia monooxygenase genes from tropical estuarine sediments on the central west coast of India, 177

Ammonium assimilation – Diazotrophic growth of *Rhodospirillum rubrum* with 2-oxoglutarate as sole carbon source affects regulation of nitrogen metabolism as well as the soluble proteome, 651

amoA – Phylogenetic diversity of archaeal 16S rRNA and ammonia monooxygenase genes from tropical estuarine sediments on the central west coast of India, 177

Amphotericin B – Transcriptional response to fluconazole and amphotericin B in *Candida albicans* biofilms, 284

Amylovoran – Exopolysaccharides favor the survival of *Erwinia amylovora* under copper stress through different strategies, 549

Aniline dioxygenase – Proteomic study of linuron and 3,4-dichloroaniline degradation by *Variovorax* sp. WDL1: evidence for the involvement of an aniline dioxygenase-related multicomponent protein, 208

Anti-quorum-sensing – *Bacillus pumilus* of Palk Bay origin inhibits quorum-sensing-mediated virulence factors in Gram-negative bacteria, 293

Antibiotic resistance – Characterisation and transferability of antibiotic resistance genes from lactic acid bacteria isolated from Irish pork and beef abattoirs, 127 – Cysteine biosynthesis, oxidative stress and antibiotic resistance in *Salmonella typhimurium*, 643

Antibiotics – Antibiotics promoting oxidative stress inhibit formation of *Escherichia coli* biofilm via indole signalling, 847

Antifungal activity – Potent antifungal activity of extracts and pure compound isolated from pomegranate peels and synergism with fluconazole against *Candida albicans*, 534

Antimicrobial activity – Antimicrobial activity of phenolic acids against commensal, probiotic and pathogenic bacteria, 372 – Isolation, characterization and phylogeny of sponge-associated bacteria with antimicrobial activities from Brazil, 604 – Evaluation of antimicrobial activity of probiotic bacteria against *Salmonella enterica* subsp. *enterica* serovar typhimurium 1344 in a common medium under different environmental conditions, 673

Archaea – Route 66: investigations into the organisation and distribution of the IS 66 family of prokaryotic insertion sequences, 136 – Phylogenetic diversity of archaeal 16S rRNA and ammonia monooxygenase genes from tropical estuarine sediments on the central west coast of India, 177 – Novel prokaryotic diversity in sediments of Tunisian multipond solar saltern, 573 – The many ways of coping with pressure, 799

ARISA – A systematic assessment of automated ribosomal intergenic spacer analysis (ARISA) as a tool for estimating bacterial richness, 192

***Aspergillus oryzae* 112822** – A novel pathway for nicotine degradation by *Aspergillus oryzae* 112822 isolated from tobacco leaves, 626

Atlantic ecosystems – Morphological, toxicological and molecular characterization of a benthic *Nodularia* isolated from Atlantic estuarine environments, 9

ATP binding cassette – A bipartite S unit of an ECF-type cobalt transporter, 824

AtxA – Full expression of *Bacillus anthracis* toxin gene in the presence of bicarbonate requires a 2.7-kb-long *atxA* mRNA that contains a terminator structure, 249 – AtxA, a *Bacillus anthracis* global virulence regulator, 735

Autoinducer 2 (AI-2) – Detection of quorum sensing signal molecules and mutation of *luxS* gene in *Vibrio ichthyenteri*, 51

Azospirillum – Effects of *Azospirillum brasilense* with genetically modified auxin biosynthesis gene *ipdC* upon the diversity of the indigenous microbiota of the wheat rhizosphere, 219

B

β -galactosidase – Efficient bioconversion of lactose in milk and whey: immobilization and biochemical characterization of a β -galactosidase from the dairy *Streptococcus thermophilus* LMD9 strain, 515

Bacillus amyloliquefaciens – Impact of osmotic/matric stress and heat shock on environmental tolerance induction of bacterial biocontrol agents against *Fusarium verticillioides*, 681

Bacillus anthracis – Full expression of *Bacillus anthracis* toxin gene in the presence of bicarbonate requires a 2.7-kb-long *atxA* mRNA that contains a terminator structure, 249 – AtxA, a *Bacillus anthracis* global virulence regulator, 735

Bacillus cereus – Fnr mediates carbohydrate-dependent regulation of catabolic and enterotoxin genes in *Bacillus cereus* F4430/73, 30 – Features of *Bacillus cereus* swarm cells, 743

Bacillus clausii – Evaluation of antimicrobial activity of probiotic bacteria against *Salmonella enterica* subsp. *enterica* serovar typhimurium 1344 in a common medium under different environmental conditions, 673

Bacillus pumilus – *Bacillus pumilus* of Palk Bay origin inhibits quorum-sensing-mediated virulence factors in Gram-negative bacteria, 293 – Complete nucleotide sequence and determination of the replication region of the sporulation inhibiting plasmid p576 from *Bacillus pumilus* NRS576, 772

Bacillus subtilis – Expression and localization of SpoIIISA toxin during the life cycle of *Bacillus subtilis*, 750 – Comparison of different *Bacillus subtilis* expression systems, 791

Bacillus subtilis – Lipid domains in *Bacillus subtilis* anucleate cells, 783

Bacteria – Novel prokaryotic diversity in sediments of Tunisian multipond solar salt-ern, 573

Bacterial community – Structural differentiation of bacterial communities in indole-degrading bioreactors under denitrifying and sulfate-reducing conditions, 687

Bacterial gene expression regulation – Repression of aerobic leukotoxin transcription by integration host factor in *Aggregatibacter actinomycetemcomitans*, 541

Bacteriocin – The polypeptide core of Microcin E492 stably associates with the mannose permease and interferes with mannose metabolism, 706

Bacteriophage – Isolation and characterization of ϕ AB2: a novel bacteriophage of *Acinetobacter baumannii*, 308

Bacteriophage 1 – The polypeptide core of Microcin E492 stably associates with the mannose permease and interferes with mannose metabolism, 706

Bacteroides fragilis – *Bacteroides fragilis* RecA protein overexpression causes resistance to metronidazole, 346

BI/NAP1/027 – *Clostridium difficile* spore germination: an update, 730

Bicarbonate – Full expression of *Bacillus anthracis* toxin gene in the presence of bicarbonate requires a 2.7-kb-long *atxA* mRNA that contains a terminator structure, 249

Bifidobacterium – Species delineation and clonal diversity in four *Bifidobacterium* species as revealed by multilocus sequencing, 82

Bile – *Clostridium difficile* spore germination: an update, 730

Bioactive metabolites – Purification and biological evaluation of the metabolites produced by *Streptomyces* sp. TK-VL_333, 335

Biocontrol agents – Anti-phytopathogen potential of endophytic actinobacteria isolated from tomato plants (*Lycopersicon esculentum*) in southern Brazil, and characterization of *Streptomyces* sp. R18(6), a potential biocontrol agent, 565

Biodegradation – Proteomic study of linuron and 3,4-dichloroaniline degradation by *Variovorax* sp. WDL1: evidence for the involvement of an aniline dioxygenase-related multicomponent protein, 208 – Response to mixed substrate feeds of the structure and activity of a linuron-degrading triple-species biofilm, 660

Biodiversity – The role of public biological resource centers in providing a basic infrastructure for microbial research, 422

Biofilm – Phenazines affect biofilm formation by *Pseudomonas aeruginosa* in similar

ways at various scales, 187 – Transcriptional response to fluconazole and amphotericin B in *Candida albicans* biofilms, 284 – Quorum sensing affects biofilm formation through lipopolysaccharide synthesis in *Klebsiella pneumoniae*, 595 – Response to mixed substrate feeds of the structure and activity of a linuron-degrading triple-species biofilm, 660 – Antibiotics promoting oxidative stress inhibit formation of *Escherichia coli* biofilm via indole signaling, 847

Biofilm-associated protein – The 285 kDa Bap/RTX hybrid cell surface protein (SO4317) of *Shewanella oneidensis* MR-1 is a key mediator of biofilm formation, 144

Biological control – Impact of osmotic/matric stress and heat shock on environmental tolerance induction of bacterial biocontrol agents against *Fusarium verticillioides*, 681

Biological Resource Center (BRC) – The role of public biological resource centers in providing a basic infrastructure for microbial research, 422

Bioremediation – Efficient binding of nickel ions to recombinant *Bacillus subtilis* spores, 757 – U(VI) reduction by spores of *Clostridium acetobutylicum*, 765

Biosorption – Efficient binding of nickel ions to recombinant *Bacillus subtilis* spores, 757

Biosurfactants – Fluorescent pseudomonads as biocontrol agents for sustainable agricultural systems, 464

Birdsfoot trefoil – Fluorescent pseudomonads as biocontrol agents for sustainable agricultural systems, 464

Bloodstream infection – Multidrug-resistant epidemic clones among bloodstream isolates of *Pseudomonas aeruginosa* in the Czech Republic, 234

Bordetella parapertussis – Monitoring of *Bordetella* isolates circulating in Saint Petersburg, Russia between 2001 and 2009, 810

Bordetella pertussis – Monitoring of *Bordetella* isolates circulating in Saint Petersburg, Russia between 2001 and 2009, 810

Bradyrhizobium – The biodiversity of beneficial microbe-host mutualism: the case of rhizobia, 453

Broad-host range plasmid – Wastewater bacterial communities bring together broad-host range plasmids, integrons and a wide diversity of uncharacterized gene cassettes, 58

C

C₃-dicarboxylic acid – Identification of a TRAP transporter for malonate transport and its expression regulated by GtrA from *Sinorhizobium meliloti*, 556

Caco-2 – Evaluation of antimicrobial activity of probiotic bacteria against *Salmonella*

Download English Version:

<https://daneshyari.com/en/article/4358819>

Download Persian Version:

<https://daneshyari.com/article/4358819>

[Daneshyari.com](https://daneshyari.com)