

Index to Volume 67

- Álvarez, E., *see* Marbà, N., 475
- A 15-month study of zooplankton ingestion by farmed mussels (*Mytilus edulis*) in Bantry Bay, Southwest Ireland, 645
- Abad, M., *see* López-González, N., 313
- Abundance of the introduced seastar, *Asterias amurensis*, and spatial variability in soft sediment assemblages in SE Tasmania: Clear correlations but complex interpretation, 695
- Acunto, S., *see* Balata, D., 553
- Adolf, J. E., Yeager, C. L., Miller, W. D., Mallonee, M. E., Harding Jr., L. W., Environmental forcing of phytoplankton floral composition, biomass, and primary productivity in Chesapeake Bay, USA, 108
- Aka, M., *see* Pagano, M., 369
- Alagarsamy, R., Distribution and seasonal variation of trace metals in surface sediments of the Mandovi estuary, west coast of India, 333
- amphipod, biodiversity, coastal zone management, estuary, impact assessment, multivariate analyses, 708
- Anguilla anguilla*, age, growth, otolith microchemistry, habitat use, migration, 569
- Arai, T., Kotake, A., McCarthy, T. K., Habitat use by the European eel *Anguilla anguilla* in Irish waters, 569
- Arfi, R., *see* Pagano, M., 369
- Arkhipkin, A.I., Laptikhovsky, V.V., Sirota, A.M., Grzebielec, R., The role of the Falkland Current in the dispersal of the squid *Loligo gahi* along the Patagonian Shelf, 198
- Armynot du Châtelet, E., *see* Debenay, J.-P., 181
- artificial substrata, community composition, ecological succession, seasonality, Baltic Sea, 618
- Assessing suitability of multispectral satellites for mapping benthic macroalgal cover in turbid coastal waters by means of model simulations, 521
- Assessment of changes in the seagrass-dominated submerged vegetation of tropical Chwaka Bay (Zanzibar) using satellite remote sensing, 399
- Ayadi, H., *see* Elloumi, J., 21
- bacteria, HNF, zooplankton, grazing, nutrient recycling, Senegal River Estuary, 369
- Baden, S., *see* Pihl, L., 123
- Badosa, A., *see* Brucet, S., 424
- Baines, S. B., *see* Doblin, M. A., 681
- Baird, A. H., *see* Kerr, A. M., 539
- Balata, D., Acunto, S., Cinelli, F., Spatio-temporal variability and vertical distribution of a low rocky subtidal assemblage in the north-west Mediterranean, 553
- Barry, K.M., Thieke, R.J., Mehta, A.J., Quasi-hydrodynamic lubrication effect of clay particles on sand grain erosion, 161
- bed stability, erosion control, coastal waters, estuaries, sediment mixtures, clay particles, benthic boundary layer, 161
- Belzile, C., Roesler, C. S., Christensen, J. P., Shakhova, N., Semiletov, I., Fluorescence measured using the WETStar DOM fluorometer as a proxy for dissolved matter absorption, 441
- Bentes, L., *see* Ribeiro, J., 461
- benthic community, disturbance, recolonisation, community ecology, soft substrate, Wellington Harbour, New Zealand, 589
- Bicchi, E., *see* Debenay, J.-P., 181
- Binding, C.E., *see* Bowers, D.G., 219
- Björk, M., *see* Gullström, M., 399
- Bodin, M., *see* Gullström, M., 399
- Boix, D., *see* Brucet, S., 424
- Booth, A.J., *see* Lukey, J.R., 10
- Borrego, J., *see* López-González, N., 313
- Bouaïn, A., *see* Elloumi, J., 21
- Boukhris, M., *see* Elloumi, J., 21
- Boundary conditions for the European Water Framework Directive in the Ria Formosa lagoon, Portugal (physico-chemical and phytoplankton quality elements), 382
- Bouvy, M., *see* Pagano, M., 369
- Bowers, D.G., Binding, C.E., The optical properties of mineral suspended particles: A review and synthesis, 219
- Brucet, S., Boix, D., López-Flores, R., Badosa, A., Quintana, X. D., Size and species diversity of zooplankton communities in fluctuating Mediterranean salt marshes, 424
- Cabanas, J. M., *see* Doval, M. D., 205
- Campbell, S. J., *see* Kerr, A. M., 539
- Carrias, J.-F., *see* Elloumi, J., 21
- Carro, B., *see* López-González, N., 313
- Castro, C. G., *see* Cermeño, P., 251
- Cermeño, P., Marañón, E., Pérez, V., Serret, P., Fernández, E., Castro, C. G., Phytoplankton size structure and primary production in a highly dynamic coastal ecosystem (Ría de Vigo, NW-Spain): Seasonal and short-time scale variability, 251
- Champalbert, G., *see* Pagano, M., 369
- Chardy, P., *see* David, V., 605
- Chittaro, P. M., Usseglio, P., Fryer, B. J., Sale, P. F., Spatial variation in otolith chemistry of *Lutjanus apodus* at Turneffe Atoll, Belize, 673
- Christensen, J. P., *see* Belzile, C., 441
- Cinelli, F., *see* Balata, D., 553
- circulation, eastern boundary currents, fish spawning, numerical modeling, upwelling, 93
- Coelho, R., *see* Ribeiro, J., 461
- Collins, M. B., *see* Friend, P. L., 491
- Comment on “On the role of diurnal tides in contributing to asymmetries in tidal probability distribution functions in areas of predominantly semi-diurnal tide” by P.L. Woodworth, D.L. Blackman, D.T. Pugh and J.M. Vassie [Estuarine, Coastal and Shelf Science 64 (2005) 235–240], 340

- Comments on “Coastal mangrove forests mitigated tsunami” by K. Kathiresan and N. Rajendran [Estuar. Coast. Shelf Sci. 65 (2005) 601–606], 539
- Community structure and intertidal zonation of the macroinfauna in intermediate sandy beaches in temperate latitudes: North coast of Spain, 267
- Composition and distribution of planktonic ciliates from ponds of different salinity in the solar saltwork of Sfax, Tunisia, 21
- copper, cadmium, complexation, organic ligands, TEP, mucilage, Aegean, 484
- Corbin, D., *see* Pagano, M., 369
- crustacean decapod, estuary, osmoregulation, isosmotic point, field distribution, SW Spain, Guadalquivir estuary, 293
- Cuesta, J. A., *see* González-Ortegón, E., 293
- Cutter, G. A., *see* Doblin, M. A., 681
- Cutter, L. S., *see* Doblin, M. A., 681
- Cynoscion guatucupa*, age-classes, environmental factors, Río de la Plata, estuary, juvenile habitat, estuarine–marine gradient, 82
- Díaz-Almela, E., *see* Marbà, N., 475
- Dahms, H.-U., Li, X., Zhang, G., Qian, P.-Y., Resting stages of *Tortanus forcipatus* (Crustacea, Calanoida) in sediments of Victoria Harbor, Hong Kong, 562
- Dalto, A. G., Grémare, A., Dinét, A., Fichet, D., Muddy-bottom meiofauna responses to metal concentrations and organic enrichment in New Caledonia South-West Lagoon, 629
- Danielsson, Å., *see* Papush, L., 53
- Davenport, J., *see* Lehane, C., 645
- Davenport, J., Davenport, J. L., The impact of tourism and personal leisure transport on coastal environments: A review, 280
- Davenport, J. L., *see* Davenport, J., 280
- David, V., Chardy, P., Sautour, B., Fitting a predator–prey model to zooplankton time-series data in the Gironde estuary (France): Ecological significance of the parameters, 605
- Debenay, J.-P., Bicchì, E., Goubert, E., Arminot du Châtelet, E., Spatio-temporal distribution of benthic foraminifera in relation to estuarine dynamics (Vie estuary, Vendée, W France), 181
- Development of fouling communities on vertical structures in the Baltic Sea, 618
- Diel vertical migrations and feeding behavior of the mysid *Rhopalophthalmus africana* (Crustacea: Mysidacea) in a tropical lagoon (Ebrié, Côte d’Ivoire), 355
- Diel, seasonal, regional and annual variations in the characteristics of the ichthyofauna of the upper reaches of a large Australian microtidal estuary, 503
- Diele, K., *see* Nordhaus, I., 239
- Dinét, A., *see* Dalto, A. G., 629
- dissolved organic matter, fluorescence, absorption coefficient, Beaufort Sea, East Siberian Sea, 441
- Distribution and seasonal variation of trace metals in surface sediments of the Mandovi estuary, west coast of India, 333
- Distribution of age-classes of striped weakfish (*Cynoscion guatucupa*) along an estuarine–marine gradient: Correlations with the environmental parameters, 82
- diurnal tides, astronomical tides, tidal asymmetry, tidal level, spring–neap cycle, extreme sea level, 340
- Doblin, M. A., Baines, S. B., Cutter, L. S., Cutter, G. A., Sources and biogeochemical cycling of particulate selenium in the San Francisco Bay estuary, 681
- Dong, L.-X., *see* Yao, Q.-Z., 170
- Doval, M. D., Moroño, A., Pazos, Y., Lopez, A., Madriñán, M., Cabanas, J. M., Maneiro, J., Monitoring dissolved aromatic hydrocarbon in Rias Baixas embayments (NW Spain) after Prestige oil spills: Relationship with hydrography, 205
- Drake, P., *see* González-Ortegón, E., 293
- Duarte, C. M., *see* Marbà, N., 475
- Dyt, C., *see* Li, F., 664
- Effects of artificial openings of intermittently opening estuaries on macroinvertebrate assemblages of the entrance barrier, 708
- Effects of coastal transport on larval patches: Models and observations, 145
- Eilertsen, H. Chr., Skarðhamar, J., Temperatures of north Norwegian fjords and coastal waters: Variability, significance of local processes and air–sea heat exchange, 530
- Elloumi, J., Carrias, J.-F., Ayadi, H., Sime-Ngando, T., Boukhris, M., Bouaïn, A., Composition and distribution of planktonic ciliates from ponds of different salinity in the solar saltwork of Sfax, Tunisia, 21
- Environmental forcing of phytoplankton floral composition, biomass, and primary productivity in Chesapeake Bay, USA, 108
- Epifanio, C. E., *see* Tilburg, C. E., 145
- Erzini, K., *see* Ribeiro, J., 461
- Escribano, R., *see* Palma, W., 93
- estuarine fish, intermittently open estuary, South Africa, mark-recapture, fish movement modelling, population size estimates, habitat selection, 10
- Eurytemora affinis*, *Neomysis integer*, long term series, Lotka–Volterra model, in situ prey–predator experiments, estuary, trophic dependence, 605
- Faganeli, J., *see* Ogrinc, N., 579
- Fernández, E., *see* Cermeño, P., 251
- Fichet, D., *see* Dalto, A. G., 629
- Field distribution and osmoregulatory capacity of shrimps in a temperate European estuary (SW Spain), 293
- Field, M.E., *see* Presto, M.K., 67
- fish fauna, coastal lagoon, seagrass, sand, temporal variations, Ria Formosa, South Portugal, 461
- Fish population size and movement patterns in a small intermittently open South African estuary, 10
- Fitting a predator–prey model to zooplankton time-series data in the Gironde estuary (France): Ecological significance of the parameters, 605
- fjord, coast, sea temperatures, heat flux, north Norway, 530
- Flow in seagrass canopies: The influence of patch width, 1
- Fluorescence measured using the WETStar DOM fluorometer as a proxy for dissolved matter absorption, 441
- Fonseca, M. S., Koehl, M.A.R., Flow in seagrass canopies: The influence of patch width, 1
- French, P. W., Managed realignment – The developing story of a comparatively new approach to soft engineering, 409
- Friend, P. L., Velegakis, A. F., Weatherston, P. D., Collins, M. B., Sediment transport pathways in a dredged ria system, south-west England, 491
- Froneman, P.W., *see* Lukey, J.R., 10
- Fryer, B. J., *see* Chittaro, P. M., 673
- Fukumori, R., *see* Senga, Y., 231
- Gardner, J. P. A., *see* Kröger, K., 589
- Gardner, L. R., Kjerfve, B., Petrecca, D. M., Tidal fluxes of dissolved oxygen at the North Inlet-Winyah Bay National Estuarine Research Reserve, 450

Download English Version:

<https://daneshyari.com/en/article/4542364>

Download Persian Version:

<https://daneshyari.com/article/4542364>

[Daneshyari.com](https://daneshyari.com)