## Author's Accepted Manuscript

Phenolic Compounds and Antioxidant Capacity in Different-Colored and non-Pigmented Berries of Bilberry (*Vaccinium myrtillus* L.)

Nesrin Colak, Anja K. Primetta, Kaisu R. Riihinen, Laura Jaakola, Jiři Grúz, Miroslav Strnad, Hülya Torun, Faik Ahmet Ayaz



www.elsevier.com/locate/sdj

PII: S2212-4292(17)30114-1

DOI: http://dx.doi.org/10.1016/j.fbio.2017.06.004

Reference: FBIO202

To appear in: Food Bioscience

Received date: 24 March 2017 Revised date: 26 May 2017 Accepted date: 9 June 2017

Cite this article as: Nesrin Colak, Anja K. Primetta, Kaisu R. Riihinen, Laur Jaakola, Jiři Grúz, Miroslav Strnad, Hülya Torun and Faik Ahmet Ayaz, Phenolic Compounds and Antioxidant Capacity in Different-Colored and non Pigmented Berries of Bilberry (*Vaccinium myrtillus* L.), *Food Bioscience* http://dx.doi.org/10.1016/j.fbio.2017.06.004

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

### **ACCEPTED MANUSCRIPT**

### Phenolic Compounds and Antioxidant Capacity in Different-Colored and non-Pigmented Berries of Bilberry (*Vaccinium myrtillus* L.)

Nesrin Colak<sup>1</sup>, Anja K. Primetta<sup>2</sup>, Kaisu R. Riihinen<sup>2</sup>, Laura Jaakola<sup>3,4</sup>, Jiři Grúz<sup>5</sup>, Miroslav Strnad<sup>5</sup>, Hülya Torun<sup>6</sup>, Faik Ahmet Ayaz<sup>1\*</sup>

<sup>1</sup>Department of Biology, Karadeniz Technical University, 61080 Trabzon, Turkey, <sup>2</sup>Departments of Environmental Science and Biosciences, University of Eastern Finland, P.O. Box 1627, FIN-70211 Kuopio, Finland,

<sup>3</sup>Climate Laboratory Holt, Department of Arctic and Marine Biology, UiT the Arctic University of Norway, NO-9037 Tromsø, Norway,

<sup>4</sup>Norwegian Institute of Bioeconomy Research, NIBIO, Box 2284 NO-9269 Tromsø, Norway
 <sup>5</sup>Laboratory of Growth Regulators & Department of Chemical Biology and Genetics, Centre of the Region Hana for Biotechnological and Agricultural Research, Faculty of Science,
 Palacky University & Institute of Experimental Botany AS CR, Slechtitelu 11, CZ-783 71
 Olomouc, Czech Republic,

<sup>6</sup>Biosystem Engineering, Faculty of Agriculture and Natural Sciences, Düzce University, 81620 Düzce, Turkey,

ncolak@ktu.edu.tr
anja.latti@gmail.com
rkaisu@yahoo.com
laura.jaakola@uit.no
jiri.gruz@gmail.com
miroslav.strnad@upol.cz
hlytrn95@hotmail.com
faa@ktu.edu.tr

\*Corresponding author. Prof. Dr. Faik Ahmet AYAZ, PhD, Tel and Fax: 00 90 462 377 37 12,

### Download English Version:

# https://daneshyari.com/en/article/4753068

Download Persian Version:

https://daneshyari.com/article/4753068

<u>Daneshyari.com</u>