Accepted Manuscript

Title: Flavin mononucleotide photoinitiated cross-linking of hydrogels: Polymer concentration threshold of strengthening

Authors: Alexander G. Savelyev, Kseniia N. Bardakova, Evgeny V. Khaydukov, Alla N. Generalova, Vladimir K. Popov, Boris N. Chichkov, Vladimir A. Semchishen



PII:	S1010-6030(16)30897-8
DOI:	http://dx.doi.org/doi:10.1016/j.jphotochem.2017.03.026
Reference:	JPC 10577
To appear in:	Journal of Photochemistry and Photobiology A: Chemistry
Received date:	12-10-2016
Revised date:	15-3-2017
Accepted date:	18-3-2017

Please cite this article as: Alexander G.Savelyev, Kseniia N.Bardakova, Evgeny V.Khaydukov, Alla N.Generalova, Vladimir K.Popov, Boris N.Chichkov, Vladimir A.Semchishen, Flavin mononucleotide photoinitiated cross-linking of hydrogels: Polymer concentration threshold of strengthening, Journal of Photochemistry and Photobiology A: Chemistryhttp://dx.doi.org/10.1016/j.jphotochem.2017.03.026

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Flavin mononucleotide photoinitiated cross-linking of hydrogels: polymer concentration threshold of strengthening

Alexander G. Savelyev^{a,*}, Kseniia N. Bardakova^a, Evgeny V. Khaydukov^a, Alla N. Generalova^{a,b}, Vladimir K. Popov^a, Boris N. Chichkov^{a,c}, and Vladimir A. Semchishen^a

^a Federal Scientific Research Centre "Crystallography and Photonics" of Russian Academy of Sciences, Leninsky pr. 59, Moscow, 119333, Russia.

^b M.M. Shemyakin & Yu.A. Ovchinnikov Institute of Bioorganic Chemistry of the Russian Academy of Sciences, Miklukho-Maklaya st., 16/10, 117997, Moscow, Russia.

^c Laser Zentrum Hannover e.V., Hollerithallee st., 8, 30419 Hannover, Germany.

* Corresponding author

A. G. Savelyeve-mail: a.g.savelyev@gmail.comK. N. Bardakovae-mail: arie5@yandex.ruE. V. Khaydukove-mail: khaydukov@mail.ruA. N. Generalovae-mail: angeneralova@gmail.comV. K. Popove-mail: popov@laser.ruB. N. Chichkove-mail: b.chichkov@lzh.deV. A. Semchishene-mail: sem_47@mail.ru

Graphical abstract



Highlights

- Cross-linking of HAGM and PEG-DA aqueous solutions using endogenous photoinitiator FMN was demonstrated.
- Entire hydrogel structure formation has a polymer concentration threshold of strengthening.
- Polymer concentration thresholds correlate with findings of percolation theory for 3D and 2D lattices.
- Polymer concentration threshold of strengthening of hydrogel can be controlled.

Download English Version:

https://daneshyari.com/en/article/4753952

Download Persian Version:

https://daneshyari.com/article/4753952

Daneshyari.com