

Epoxides as a new feedstock for the synthesis of xanthene derivatives by using highly efficient, reusable tungstated zirconia heterogeneous catalyst

Venkata Subba Rao Ganga, Manoj K. Choudhary, Rajkumar Tak, Prathibha Kumari, Sayed H.R. Abdi, Rukhsana I. Kureshy, Noor-ul H. Khan

PII: S1566-7367(17)30001-8
DOI: doi: 10.1016/j.catcom.2017.01.001
Reference: CATCOM 4900

To appear in: *Catalysis Communications*

Received date: 4 September 2016
Revised date: 24 November 2016
Accepted date: 2 January 2017

Please cite this article as: Venkata Subba Rao Ganga, Manoj K. Choudhary, Rajkumar Tak, Prathibha Kumari, Sayed H.R. Abdi, Rukhsana I. Kureshy, Noor-ul H. Khan , Epoxides as a new feedstock for the synthesis of xanthene derivatives by using highly efficient, reusable tungstated zirconia heterogeneous catalyst. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Catcom(2017), doi: 10.1016/j.catcom.2017.01.001

Epoxides as a new feedstock for the synthesis of xanthene derivatives by using highly efficient, reusable tungstated zirconia heterogeneous catalyst

Venkata Subba Rao Ganga[a,b], Manoj K. Choudhary[a,b], Rajkumar Tak[a,b], Prathibha Kumari[a,b], Sayed H. R. Abdi[a,b,*] , Rukhsana I. Kureshy[a,b] , Noor-ul H. Khan[a,b]

[a]*Inorganic Materials and Catalysis Division, CSIR-Central Salt and Marine Chemicals Research Institute (CSIR-CSMCRI), Bhavnagar- 364 002, Gujarat, India.*

[b]*Academy of Scientific and Innovative Research, CSIR-Central Salt and Marine Chemicals Research Institute (CSIR-CSMCRI), G. B. Marg, Bhavnagar- 364002, Gujarat, India.*