Accepted Manuscript

Title: Covalent grafting of cobalt carbonyl cluster on functionalized mesoporous SBA- 15 molecular sieve and its applications towards hydroformylation of 1-octene

Author: Magsood Ahmed Ayyamperumal Sakthivel

PII: S1381-1169(16)30340-5

DOI: http://dx.doi.org/doi:10.1016/j.molcata.2016.08.016

Reference: MOLCAA 10003

To appear in: Journal of Molecular Catalysis A: Chemical

Received date: 20-4-2016 Revised date: 4-8-2016 Accepted date: 14-8-2016

Please cite this article as: Maqsood Ahmed, Ayyamperumal Sakthivel, Covalent grafting of cobalt carbonyl cluster on functionalized mesoporous SBA- 15 molecular sieve and its applications towards hydroformylation of 1-octene, Journal of Molecular Catalysis A: Chemical http://dx.doi.org/10.1016/j.molcata.2016.08.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Covalent grafting of cobalt carbonyl cluster on functionalized mesoporous SBA- 15 molecular sieve and its applications towards hydroformylation of 1-octene

Maqsood Ahmed, Ayyamperumal Sakthivel a,b*

^aDepartment of Chemistry, Inorganic Materials & Catalysis Laboratory, University of Delhi (North Campus) Delhi-110007, India

^b Department of Chemistry, School of Mathematical & Physical Sciences, Riverside Transit Campus, Padnekkad, Nileshwar, Kasaragod District - 671314

Email: asakthivel@chemistry.du.ac.in / sakthivelcuk@cukerala.ac.in

Graphical abstract

A new method was developed for the grafting of cobalt carbonyl clusters on the surface of SBA-15 using [(2-propynylcarbonate)-propyl]triethoxysilane organosilane ligand as linker. The resulting cobalt carbonyl clusters grafted material showed a promising catalytic activity (97 % conversion) towards hydroformylation of 1-octene with 90% selectivity for hydroformylated products.

Download English Version:

https://daneshyari.com/en/article/4757735

Download Persian Version:

https://daneshyari.com/article/4757735

<u>Daneshyari.com</u>