

# Accepted Manuscript

Controllable fabrication of 2D and 3D porous graphene architectures using identical thermally exfoliated graphene oxides as precursors and their application as supercapacitor electrodes

Kaisheng Xia, Li Qiyang, Zheng Lin, Kun You, Xiangle Tian, Bo Han, Qiang Gao, Zhiyuan Huang, Gang Chen, Chenggang Zhou

PII: S1387-1811(16)30396-1

DOI: [10.1016/j.micromeso.2016.09.015](https://doi.org/10.1016/j.micromeso.2016.09.015)

Reference: MICMAT 7900

To appear in: *Microporous and Mesoporous Materials*


Received Date: 5 August 2016


Revised Date: 11 September 2016

Accepted Date: 12 September 2016

Please cite this article as: K. Xia, L. Qiyang, Z. Lin, K. You, X. Tian, B. Han, Q. Gao, Z. Huang, G. Chen, C. Zhou, Controllable fabrication of 2D and 3D porous graphene architectures using identical thermally exfoliated graphene oxides as precursors and their application as supercapacitor electrodes, *Microporous and Mesoporous Materials* (2016), doi: 10.1016/j.micromeso.2016.09.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/4758585>

Download Persian Version:

<https://daneshyari.com/article/4758585>

[Daneshyari.com](https://daneshyari.com)