

Accepted Manuscript

Pressure Responsive PET Fabrics via Constructing Conductive Wrinkles at Room Temperature

Zehong Wang, Wei Wang, Dan Yu

PII: S1385-8947(17)31241-X
DOI: <http://dx.doi.org/10.1016/j.cej.2017.07.094>
Reference: CEJ 17360

To appear in: *Chemical Engineering Journal*

Received Date: 28 April 2017
Revised Date: 8 July 2017
Accepted Date: 15 July 2017

Please cite this article as: Z. Wang, W. Wang, D. Yu, Pressure Responsive PET Fabrics via Constructing Conductive Wrinkles at Room Temperature, *Chemical Engineering Journal* (2017), doi: <http://dx.doi.org/10.1016/j.cej.2017.07.094>



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pressure Responsive PET Fabrics via Constructing Conductive Wrinkles at Room Temperature

Zehong Wang^{a, b}, Wei Wang^{a, b}, Dan Yu^{a, b, c*}

a Key Laboratory of High Performance Fibers & Products, Ministry of Education, Donghua University, Shanghai, P. R. China 201620

b College of Chemistry, Chemical Engineering & Biotechnology, Donghua University, Shanghai, 201620, China

c Saintyear Holding Group Co.,ltd, China

*Corresponding author. Tel. /fax: 86-21-67792456 /86-21-67792608; E-mail addresses: yudan@dhu.edu.cn

Abstract

Download English Version:

<https://daneshyari.com/en/article/4762879>

Download Persian Version:

<https://daneshyari.com/article/4762879>

[Daneshyari.com](https://daneshyari.com)