

The Dependence of the Phasic Response of the Taste Nerves on Stimulus Flow Rate Arises in the Diffusion Boundary Layer Region at the Lingual Surface: A Convective-Diffusion Analysis

John A. DeSimone

PII: S0009-2509(17)30281-6
DOI: http://dx.doi.org/10.1016/j.ces.2017.04.034
Reference: CES 13568

To appear in: *Chemical Engineering Science*

Received Date: 21 October 2016
Revised Date: 26 February 2017
Accepted Date: 23 April 2017

Please cite this article as: J.A. DeSimone, The Dependence of the Phasic Response of the Taste Nerves on Stimulus Flow Rate Arises in the Diffusion Boundary Layer Region at the Lingual Surface: A Convective-Diffusion Analysis, *Chemical Engineering Science* (2017), doi: http://dx.doi.org/10.1016/j.ces.2017.04.034

The Dependence of the Phasic Response of the Taste Nerves on Stimulus Flow Rate Arises in the Diffusion Boundary Layer Region at the Lingual Surface: A Convective-Diffusion Analysis

John A. DeSimone

Department of Physiology and Biophysics, Virginia Commonwealth University, Richmond, VA 23298-0551.

Corresponding Author: John A. DeSimone, Professor Emeritus

Virginia Commonwealth University

Molecular Medicine Research Building, Rm 5050

1220 E. Broad St.

Richmond, VA 23298-0551

Phone: 804-828-4489

FAX: 804-827-0947

Email: john.desimone@vcuhealth.org