



ELSEVIER

Contents lists available at ScienceDirect

Data in Brief

journal homepage: www.elsevier.com/locate/dib

Data Article

Data of cost-optimal solutions and retrofit design methods for school renovation in a warm climate



Ilaria Zacà^a, Giuliano Tornese^a, Cristina Baglivo^a,
Paolo Maria Congedo^{a,*}, Delia D'Agostino^b

^a Department of Engineering for Innovation, University of Salento, 73100 Lecce, Italy

^b Energy efficiency and Renewables Unit, Institute for Energy and Transport (IET), Joint Research Centre (JRC) - European Commission, Ispra, VA, Italy

ARTICLE INFO

Article history:

Received 16 October 2016

Accepted 1 November 2016

Available online 5 November 2016

Keywords:

School

Refurbishment

Zero energy buildings (ZEBs)

EPBD

Recast

Cost-optimal

ABSTRACT

"Efficient Solutions and Cost-Optimal Analysis for Existing School Buildings" (Paolo Maria Congedo, Delia D'Agostino, Cristina Baglivo, Giuliano Tornese, Iliaria Zacà) [1] is the paper that refers to this article. It reports the data related to the establishment of several variants of energy efficient retrofit measures selected for two existing school buildings located in the Mediterranean area. In compliance with the cost-optimal analysis described in the Energy Performance of Buildings Directive and its guidelines (EU, Directive, EU 244,) [2,3], these data are useful for the integration of renewable energy sources and high performance technical systems for school renovation. The data of cost-efficient high performance solutions are provided in tables that are explained within the following sections.

The data focus on the describe school refurbishment sector to which European policies and investments are directed. A methodological approach already used in previous studies about new buildings is followed (Baglivo Cristina, Congedo Paolo Maria, D'Agostino Delia, Zacà Iliaria, 2015; IliariaZacà, Delia D'Agostino, Paolo Maria Congedo, Cristina Baglivo; Baglivo Cristina, Congedo Paolo Maria, D'Agostino Delia, Zacà Iliaria, 2015; Iliaria Zacà, Delia D'Agostino, Paolo Maria Congedo, Cristina Baglivo, 2015; Paolo Maria Congedo, Cristina Baglivo, IliariaZacà, Delia D'Agostino, 2015) [4–8]. The files give the cost-optimal solutions for a kindergarten (REF1) and a nursery (REF2) school located in Sanarica and Squinzano (province of Lecce Southern Italy). The two reference

* Corresponding author.

E-mail address: paolo.congedo@unisalento.it (P.M. Congedo).

buildings differ for construction period, materials and systems.

The eleven tables provided contain data about the localization of the buildings, geometrical features and thermal properties of the envelope, as well as the energy efficiency measures related to walls, windows, heating, cooling, dhw and renewables. Output values of energy consumption, gas emission and costs are given for a financial and a macro-economic analysis.

This data article provides 288 and 96 combinations for REF1 and REF2, respectively. The output values are obtained using the software ProCasaClima 2015v.2.0.

© 2016 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY license

(<http://creativecommons.org/licenses/by/4.0/>).

Specifications Table

Subject area	<i>Civil engineering</i>
More specific subject area	<i>High energy efficiency solutions for buildings with school use</i>
Type of data	<i>Tables</i>
How data was acquired	<i>Technical datasheets, Puglia Region price list, market surveys, ISTAT surveys, software ProCasaClima 2015v.2.0</i>
Data format	<i>.xls</i>
Experimental factors	<i>No pretreatment of samples was performed</i>
Experimental features	<i>Cost-optimal solutions have been derived for several combinations of energy efficiency technical variants, applied to two reference buildings, with school use, located in Southern Italy.</i>
Data source location	<i>Lecce – Italy, Mediterranean climate</i>
Data accessibility	<i>Data is provided in Supplementary materials directly with this article</i>

Value of the data

- Identification of efficient measures following the cost-optimal methodology to find the best solutions for nearly zero energy buildings (nZEBs).
- Definition of several combinations of energy efficiency measures for refurbishment in the school sector.
- Evaluation of cost-optimal energy measures in terms of primary energy consumptions and global costs for two existing school buildings located in the Mediterranean climate.

1. Data

Input and output data are provided in the eleven tables containing, in particular, geometrical features, thermal properties of external walls and windows, characteristics of technical systems, as well as primary energy consumptions, CO₂ gas emissions and global costs for two reference buildings located in province of Lecce (national climatic Zone C, Southern Italy).

Download English Version:

<https://daneshyari.com/en/article/4765483>

Download Persian Version:

<https://daneshyari.com/article/4765483>

[Daneshyari.com](https://daneshyari.com)