Accepted Manuscript



4′-phenyl-2,2':6′,2″-terpyridine derivatives-synthesis, potential application and the influence of acetylene linker on their properties

Dawid Zych, Aneta Słodek, Marek Matussek, Michał Filapek, Grażyna Szafraniec-Gorol, Sławomir Maślanka, Stanisław Krompiec, Sonia Kotowicz, Ewa Schab-Balcerzak, Karolina Smolarek, Sebastian Maćkowski, Marian Olejnik, Witold Danikiewicz

PII: S0143-7208(17)31108-7

DOI: 10.1016/j.dyepig.2017.07.030

Reference: DYPI 6119

To appear in: *Dyes and Pigments*

Received Date: 12 May 2017

Revised Date: 15 June 2017

Accepted Date: 14 July 2017

Please cite this article as: Zych D, Słodek A, Matussek M, Filapek Michał, Szafraniec-Gorol Graż, Maślanka Sł, Krompiec Stanisł, Kotowicz S, Schab-Balcerzak E, Smolarek K, Maćkowski S, Olejnik M, Danikiewicz W, 4′-phenyl-2,2':6′,2″-terpyridine derivatives-synthesis, potential application and the influence of acetylene linker on their properties, *Dyes and Pigments* (2017), doi: 10.1016/j.dyepig.2017.07.030.

4'-Phenyl-2,2':6',2''-terpyridine derivatives - synthesis, potential application and the influence of acetylene linker on their properties

Dawid Zych[a]*, Aneta Słodek[a], Marek Matussek[a], Michał Filapek[a], Grażyna Szafraniec-Gorol[a], Sławomir Maślanka[a], Stanisław Krompiec[a], Sonia Kotowicz[a], Ewa Schab-Balcerzak[a][b], Karolina Smolarek[c], Sebastian Maćkowski[c], Marian Olejnik[d], Witold Danikiewicz[d]

[a] Institute of Chemistry, Faculty of Mathematics, Physics and Chemistry, University of Silesia, Szkolna 9, 40-007 Katowice, Poland

[b] Centre of Polymer and Carbon Materials, Polish Academy of Sciences, M. Curie-Sklodowska 34, 41-819 Zabrze, Poland

[c] Institute of Physics, Faculty of Physics, Astronomy and Informatics, Nicolaus Copernicus University, Grudziadzka 5, 87-100 Torun, Poland

[d] Institute of Organic Chemistry, Polish Academy of Sciences, Kasprzaka 44/52, 01-224 Warszawa 42, Poland

*Corresponding Author: dawidzych92@gmail.com (Dawid Zych)