## Accepted Manuscript

Nanostructured lipid carrier (NLC) as a strategy for encapsulation of quercetin and linseed oil: Preparation and in *vitro* characterization studies

Juan Huang, Qiang Wang, Tong Li, Nan Xia, Qiang Xia

PII: S0260-8774(17)30285-6

DOI: 10.1016/j.jfoodeng.2017.07.002

Reference: JFOE 8944

To appear in: Journal of Food Engineering

Please cite this article as: Juan Huang, Qiang Wang, Tong Li, Nan Xia, Qiang Xia, Nanostructured lipid carrier (NLC) as a strategy for encapsulation of quercetin and linseed oil Preparation and in vitro characterization studies, *Journal of Food Engineering* (2017), doi: 10.1016/j.jfoodeng.2017.07.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



journal of food engineering

## ACCEPTED MANUSCRIPT

1	Nanostructured lipid carrier (NLC) as a strategy for encapsulation of
2	quercetin and linseed oil: Preparation and in vitro characterization studies
3	Juan Huang <sup>a,b,c</sup> , Qiang Wang <sup>a,b,c</sup> , Tong Li <sup>a,b,c</sup> , Nan Xia <sup>a,b,c</sup> , Qiang Xia <sup>a,b,c,*</sup>
4	a School of Biological Science and Medical Engineering, State Key Laboratory of
5	Bioelectronics, Southeast University, Nanjing, China
6	b National Demonstration Center for Experimental Biomedical Engineering
7	Education, Southeast University, Nanjing, China
8	c Collaborative Innovation Center of Suzhou Nano Science and Technology, Suzhou,
9	China
10	* Corresponding author Address: School of Biological Science and Medical
11	Engineering, State Key Laboratory of Bioelectronics, Southeast University, Nanjing
12	210096, China.
12 13	210096, China. <b>E-mail address:</b> xiaq@seu.edu.cn (Q. Xia).
13	E-mail address: xiaq@seu.edu.cn (Q. Xia).
13 14	E-mail address: xiaq@seu.edu.cn (Q. Xia). Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier
13 14 15	<ul><li>E-mail address: xiaq@seu.edu.cn (Q. Xia).</li><li>Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier</li><li>Abstract: Due to their poor solubility in hydrophilic matrices and chemical instability,</li></ul>
13 14 15 16	<ul><li>E-mail address: xiaq@seu.edu.cn (Q. Xia).</li><li>Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier</li><li>Abstract: Due to their poor solubility in hydrophilic matrices and chemical instability,</li><li>the applications of quercetin and linseed oil in functional foods are limited. In this</li></ul>
13 14 15 16 17	<ul><li>E-mail address: xiaq@seu.edu.cn (Q. Xia).</li><li>Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier</li><li>Abstract: Due to their poor solubility in hydrophilic matrices and chemical instability,</li><li>the applications of quercetin and linseed oil in functional foods are limited. In this</li><li>work we have encapsulated quercetin and linseed oil into NLC by high pressure</li></ul>
13 14 15 16 17 18	<ul> <li>E-mail address: xiaq@seu.edu.cn (Q. Xia).</li> <li>Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier</li> <li>Abstract: Due to their poor solubility in hydrophilic matrices and chemical instability,</li> <li>the applications of quercetin and linseed oil in functional foods are limited. In this</li> <li>work we have encapsulated quercetin and linseed oil into NLC by high pressure</li> <li>homogenization technique. Quercetin and linseed oil co-loaded nanoparticles were</li> </ul>
13 14 15 16 17 18 19	E-mail address: xiaq@seu.edu.cn (Q. Xia). Running Title: Quercetin and linseed oil co-loaded nanostructured lipid carrier Abstract: Due to their poor solubility in hydrophilic matrices and chemical instability, the applications of quercetin and linseed oil in functional foods are limited. In this work we have encapsulated quercetin and linseed oil into NLC by high pressure homogenization technique. Quercetin and linseed oil co-loaded nanoparticles were less than 100 nm in diameter and spherical in shape. Nano-encapsulated quercetin was

Download English Version:

## https://daneshyari.com/en/article/4908888

Download Persian Version:

https://daneshyari.com/article/4908888

Daneshyari.com