

Accepted Manuscript

Effect of high pressure homogenization and high power ultrasound on some physical properties of tomato juices with different concentration levels

Francesca Bot, Sonia Calligaris, Giovanni Cortella, Francesco Nocera, Donatella Peressini, Monica Anese



PII: S0260-8774(17)30182-6
DOI: 10.1016/j.jfoodeng.2017.04.027
Reference: JFOE 8863
To appear in: *Journal of Food Engineering*
Received Date: 04 November 2016
Revised Date: 20 February 2017
Accepted Date: 24 April 2017

Please cite this article as: Francesca Bot, Sonia Calligaris, Giovanni Cortella, Francesco Nocera, Donatella Peressini, Monica Anese, Effect of high pressure homogenization and high power ultrasound on some physical properties of tomato juices with different concentration levels, *Journal of Food Engineering* (2017), doi: 10.1016/j.jfoodeng.2017.04.027

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

HPH and US caused physical modifications in tomato juice.

Tomato juice concentration affected process performances.

HPH caused greater changes in physical properties of 10.0 °Brix tomato juice than US.

HPH and US were compared in terms of energy efficiency.

Download English Version:

<https://daneshyari.com/en/article/4908912>

Download Persian Version:

<https://daneshyari.com/article/4908912>

[Daneshyari.com](https://daneshyari.com)