Title: One-pot green process for surface layering with nanodiamonds on polymer microspheres

Authors: Makoto Takafuji, Nanami Hano, Hiroto Yamamoto, Naoya Ryu, Maki Horikawa, Shoji Nagaoka, Hirotaka Ihara

PII: S0896-8446(16)30450-8
DOI: http://dx.doi.org/doi:10.1016/j.supflu.2017.02.025
Reference: SUPFLU 3869

To appear in: *J. of Supercritical Fluids*

Received date: 16-11-2016
Revised date: 22-2-2017
Accepted date: 23-2-2017

Please cite this article as: Makoto Takafuji, Nanami Hano, Hiroto Yamamoto, Naoya Ryu, Maki Horikawa, Shoji Nagaoka, Hirotaka Ihara, One-pot green process for surface layering with nanodiamonds on polymer microspheres, The Journal of Supercritical Fluids http://dx.doi.org/10.1016/j.supflu.2017.02.025

One-pot green process for surface layering with nanodiamonds on polymer microspheres

Makoto Takafuji,[†,a] Nanami Hano,[a] Hiroto Yamamoto,[a] Naoya Ryu,[c] Maki Horikawa,[c,d]

Shoji Nagaoka,[c,d] Hirotaka Ihara[†,b,d]

[a]*Department of Applied Chemistry and Biochemistry, Kumamoto University,*

2-39-1 Kurokami, Chuo-ku, Kumamoto 860-8555 Japan.

[b]*Department of New Frontier Science, Kumamoto University,*

2-39-1 Kurokami, Chuo-ku, Kumamoto 860-8555 Japan.

[c]*Materials and Regional Resources Laboratory, Kumamoto Industrial Research Institute,*

3-11-38 Higashimachi, Higashi-ku, Kumamoto 862-0901 Japan.

[d]*Kumamoto Institute for Photo-Electro Organics,*

3-11-38 Higashimachi, Higashi-ku, Kumamoto 862-0901 Japan.

† Corresponding authors: takafuji@kumamoto-u.ac.jp, ihara@kumamoto-u.ac.jp

Keywords:

1) Core-shell microsphere
2) Supercritical carbon dioxide
3) Organic-inorganic hybrid
4) Inorganic nanoparticle