

Accepted Manuscript

Effective filtration area of a pleated filter bag in a pulse-jet bag house

Jeong-Uk Kim, Jungho Hwang, Hyun-Jin Choi, Myong-Hwa Lee

PII: S0032-5910(17)30140-7
DOI: doi:[10.1016/j.powtec.2017.02.013](https://doi.org/10.1016/j.powtec.2017.02.013)
Reference: PTEC 12351

To appear in: *Powder Technology*

Received date: 26 August 2016
Revised date: 24 December 2016
Accepted date: 9 February 2017



Please cite this article as: Jeong-Uk Kim, Jungho Hwang, Hyun-Jin Choi, Myong-Hwa Lee, Effective filtration area of a pleated filter bag in a pulse-jet bag house, *Powder Technology* (2017), doi:[10.1016/j.powtec.2017.02.013](https://doi.org/10.1016/j.powtec.2017.02.013)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effective filtration area of a pleated filter bag in a pulse-jet bag house

Jeong-Uk Kim^{1,2}, Jungho Hwang², Hyun-Jin Choi¹, Myong-Hwa Lee^{1,*}

¹ Thermochemical Energy System R&D Group, Korea Institute of Industrial Technology,
89 Yangdaegiro-gil, Ipjang-myeon, Cheonan, Chungnam 31056, Republic of Korea

² School of Mechanical Engineering, Yonsei University, 50 Yonsei-ro, Seodaemun-gu,
Seoul 03722, Republic of Korea

December 24th, 2016

Revised manuscript

Powder Technology

† To whom correspondence should be addressed:

Email address: myonghwa@kitech.re.kr

Telephone: +82-41-589-8268

Fax: +82-41-589-8323

Download English Version:

<https://daneshyari.com/en/article/4910675>

Download Persian Version:

<https://daneshyari.com/article/4910675>

[Daneshyari.com](https://daneshyari.com)