

Accepted Manuscript

Title: Design and experimental evaluation of model predictive control vs. intelligent methods for domestic heating systems

Authors: Esmael Khanmirza, Ahmad Esmailzadeh, Amir Hossein Davaie Markazi



PII: S0378-7788(17)31256-2
DOI: <http://dx.doi.org/doi:10.1016/j.enbuild.2017.05.074>
Reference: ENB 7655

To appear in: *ENB*

Received date: 9-4-2017
Revised date: 16-5-2017
Accepted date: 28-5-2017

Please cite this article as: Esmael Khanmirza, Ahmad Esmailzadeh, Amir Hossein Davaie Markazi, Design and experimental evaluation of model predictive control vs.intelligent methods for domestic heating systems, Energy and Buildings<http://dx.doi.org/10.1016/j.enbuild.2017.05.074>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Design and experimental evaluation of model predictive control vs. intelligent methods for domestic heating systems

Esmael Khanmirza†, Ahmad Esmailzadeh††, Amir Hossein Davaie Markazi†††

† Assistant professor, School of mechanical engineering, Iran University of science and technology, Tehran, Iran, khanmirza@iust.ac.ir

†† Center of Advanced Systems and Technologies (CAST), School of Mechanical Engineering, College of Engineering, University of Tehran, Tehran, Iran

a.esmaeilzadeh@ut.ac.ir

††† Professor, School of mechanical engineering, Iran University of science and technology, Tehran, Iran, markazi@iust.ac.ir

Highlights:

A sample day situation is considered to simulate smart home.

An intelligent controller is designed to apply on a domestic heating system.

Controllers' capability is examined by applying variant situation.

MPC and GA have been applied to design controller.

An experimental test has been conducted in a limited time to validate the results.

Abstract

In this paper, it has been attempted to present a temperature control method for the building and, simultaneously, reduce costs of providing energy in hybrid heating systems. In the present work, a building in Tehran city has been investigated as a sample during a single day and applying intelligent control methods in the presence of two gas and solar heat sources. Furthermore, the

Download English Version:

<https://daneshyari.com/en/article/4914102>

Download Persian Version:

<https://daneshyari.com/article/4914102>

[Daneshyari.com](https://daneshyari.com)