Accepted Manuscript

Influence of plate length and anchor position on FRP-to-concrete joints anchored with FRP anchors

Huawen Zhang, Scott T. Smith


PII: S0263-8223(16)30615-8

DOI: http://dx.doi.org/10.1016/j.compstruct.2016.09.086

Reference: COST 7812

To appear in: Composite Structures

Received Date: 16 May 2016
Revised Date: 30 August 2016
Accepted Date: 28 September 2016



Please cite this article as: Zhang, H., Smith, S.T., Influence of plate length and anchor position on FRP-to-concrete joints anchored with FRP anchors, *Composite Structures* (2016), doi: http://dx.doi.org/10.1016/j.compstruct. 2016.09.086

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Submitted to Composite Structures

Influence of plate length and anchor position on FRP-to-concrete joints anchored with FRP anchors

Huawen Zhang^a, Scott T. Smith^{b,*}

NSW, Australia

Corresponding Author. Tel. +61 2 6620 3088; Fax: +61 2 6621 2669. E-mail address:

scott.smith@scu.edu.au (S.T. Smith)

^a Country Garden Group, Foshan, Guangdong Province, China

^a School of Environment, Science and Engineering, Southern Cross University, Lismore, 2480,

Download English Version:

https://daneshyari.com/en/article/4917941

Download Persian Version:

https://daneshyari.com/article/4917941

<u>Daneshyari.com</u>