

Accepted Manuscript

Ductile to brittle fracture analysis based on improved application of proposed crack opening criterion deduced by micro-crack evolution equation

Michiaki Kobayashi

PII: S0020-7683(17)30248-2
DOI: [10.1016/j.ijsolstr.2017.05.035](https://doi.org/10.1016/j.ijsolstr.2017.05.035)
Reference: SAS 9597



To appear in: *International Journal of Solids and Structures*

Received date: 7 February 2017
Revised date: 15 May 2017
Accepted date: 25 May 2017

Please cite this article as: Michiaki Kobayashi , Ductile to brittle fracture analysis based on improved application of proposed crack opening criterion deduced by micro-crack evolution equation, *International Journal of Solids and Structures* (2017), doi: [10.1016/j.ijsolstr.2017.05.035](https://doi.org/10.1016/j.ijsolstr.2017.05.035)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Ductile to brittle fracture analysis based on improved application of proposed
crack opening criterion deduced by micro-crack evolution equation**

Michiaki Kobayashi *

Department of Mechanical Engineering, Kitami Institute of Technology,
Kitami, Hokkaido 090-8507, Japan; Present address: Kouenchou 141-3 Kitami,
Hokkaido 090-0015, Japan

*Corresponding author: Tel.: +81-157-31-1224

E-mail address: kobayasi@mail.kitami-it.ac.jp

Key Words: Ductile fracture, Brittle fracture, Crack opening criterion, Micro-crack evolution equation, Crack opening analysis, Fracture mechanism

Download English Version:

<https://daneshyari.com/en/article/4922322>

Download Persian Version:

<https://daneshyari.com/article/4922322>

[Daneshyari.com](https://daneshyari.com)