Accepted Manuscript

Mechanical pretreatment at harvesting increases the bioenergy output from marginal land grasses

P. Tsapekos, P.G. Kougias, H. Egelund, U. Larsen, J. Pedersen, P. Trénel, I. Angelidaki

PII: S0960-1481(17)30377-4

DOI: 10.1016/j.renene.2017.04.061

Reference: RENE 8756

To appear in: Renewable Energy


Received Date: 07 September 2016

Revised Date: 24 April 2017

Accepted Date: 27 April 2017

Please cite this article as: P. Tsapekos, P.G. Kougias, H. Egelund, U. Larsen, J. Pedersen, P. Trénel, I. Angelidaki, Mechanical pretreatment at harvesting increases the bioenergy output from marginal land grasses, *Renewable Energy* (2017), doi: 10.1016/j.renene.2017.04.061

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- The biogas production from fresh meadow grass was examined
- Mechanical pretreatment at harvesting improved the biodegradability of meadow grass
- Excoriator enhanced the methane yield by 20% compared to a classical Discmower
- The superiority of Excoriator was validated using three kinetic model equations
- Excoriator increased bioenergy output from 10% to 23% compared to other harvesters

Download English Version:

https://daneshyari.com/en/article/4926365

Download Persian Version:

https://daneshyari.com/article/4926365

<u>Daneshyari.com</u>