Accepted Manuscript

Title: Evaluation of Ice Thermal Energy Storage (ITES) for commercial buildings in cities in Brazil

Author: <ce:author id="aut0005" author-id="S2210670716303936-ed279a68eda51f21330d459a4c4ec3c5"> Bruno Arcuri<ce:author id="aut0010" author-id="S2210670716303936-c4a3f6f871c60dfaeb9f7192c0cb5883"> Catalina Spataru<ce:author id="aut0015" author-id="S2210670716303936-bd3ff3055e7c42a1cdd60283d741dd89"> Mark Barrett

PII: S2210-6707(16)30393-6

DOI: http://dx.doi.org/doi:10.1016/j.scs.2016.12.011


Reference: SCS 554

To appear in:

Received date: 29-9-2016 Revised date: 21-12-2016 Accepted date: 22-12-2016

Please cite this article as: Arcuri, Bruno., Spataru, Catalina., & Barrett, Mark., Evaluation of Ice Thermal Energy Storage (ITES) for commercial buildings in cities in Brazil. *Sustainable Cities and Society* http://dx.doi.org/10.1016/j.scs.2016.12.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Evaluation of Ice Thermal Energy Storage (ITES) for commercial buildings in cities in Brazil

| | Bruno Arcuri | , Catalina | Spataru. | , Mark I | 3arrett |
|--|--------------|------------|----------|----------|---------|
|--|--------------|------------|----------|----------|---------|

Energy Institute, University College London

14 Upper Woburn Place, London, WC1H 0NN

contact email: bruno.arcuri.14@ucl.ac.uk

Highlights

- ITES can effectively shape peak demand in commercial buildings in Brazil;
- ITES must be considered in AC load management due to impacts on grid peak demand;
- ITES generated economic gains but also losses in commercial buildings in Brazil;
- Economic gains are dependent on the cooling load profile, ITES strategy and tariff;
- Tariffs could be designed to incentivise AC load management measures such as ITES;

Download English Version:

https://daneshyari.com/en/article/4928262

Download Persian Version:

https://daneshyari.com/article/4928262

<u>Daneshyari.com</u>