


Accepted Manuscript

Title: Antidepressant-related jitteriness syndrome in anxiety and depressive disorders: incidence and risk factors

Authors: Preeti Sinha, Disha Jayaram Shetty, Chittaranjan Andrade, Laxminarayana K. Bairy



PII: S1876-2018(16)30356-2
DOI: <http://dx.doi.org/doi:10.1016/j.ajp.2017.06.003>
Reference: AJP 1178

To appear in:

Received date: 8-8-2016
Accepted date: 1-6-2017

Please cite this article as: Sinha, Preeti, Shetty, Disha Jayaram, Andrade, Chittaranjan, Bairy, Laxminarayana K., Antidepressant-related jitteriness syndrome in anxiety and depressive disorders: incidence and risk factors. Asian Journal of Psychiatry <http://dx.doi.org/10.1016/j.ajp.2017.06.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Antidepressant-related jitteriness syndrome in anxiety and depressive disorders: incidence and risk factors

Preeti Sinha^{a, e, g}, Disha Jayaram Shetty^{b, f}, Chittaranjan Andrade^c, Laxminarayana K Bairy^d

^aDepartment of Psychiatry, Kasturba Medical College, Manipal, Karnataka, India-576119, drpreetisinha@gmail.com,

^bDepartment of Pharmacology, Kasturba Medical College, Manipal, Karnataka, India-576119, shettydisha007@gmail.com

^cDepartment of Psychopharmacology, National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore, Karnataka, India- 560029, andradec@gmail.com

^dDepartment of Pharmacology, Kasturba Medical College, Manipal, Karnataka, India-576119, klbairy@yahoo.com

^ePresent address: Department of Psychiatry, National Institute of Mental Health and Neurosciences (NIMHANS), Hosur Road, Bangalore, Karnataka, India- 560029, Ph- +91924328988, +91-80-26995273

^fPresent Address: Abbott India Limited, Mumbai, India- 400063

^gCorresponding Author

Highlights

- Jitteriness syndrome occurred in a quarter (27.7%) of population sample by 6 weeks
- 75% of them developed jitteriness syndrome after 2 weeks
- It was more in those with higher antidepressant doses (OR= 2.68, 95% CI, 1.37-5.25)
- Jitteriness presented mostly as agitation or subjective anxiety with motor restlessness

Download English Version:

<https://daneshyari.com/en/article/4929848>

Download Persian Version:

<https://daneshyari.com/article/4929848>

[Daneshyari.com](https://daneshyari.com)