

Accepted Manuscript

Variation in the Early Trajectories of Autism Symptoms Is Related to the Development of Language, Cognition, and Behavior Problems

Janne C. Visser, MD, Nanda N.J. Rommelse, PhD, Martijn Lappenschaar, MD, PhD, Iris J. Servatius-Oosterling, PhD, Corina U. Greven, PhD, Jan K. Buitelaar, MD, PhD

PII: S0890-8567(17)30254-X

DOI: [10.1016/j.jaac.2017.05.022](https://doi.org/10.1016/j.jaac.2017.05.022)

Reference: JAAC 1774

To appear in: *Journal of the American Academy of Child & Adolescent Psychiatry*


Received Date: 24 February 2017

Revised Date: 15 May 2017

Accepted Date: 21 May 2017

Please cite this article as: Visser JC, Rommelse NNJ, Lappenschaar M, Servatius-Oosterling IJ, Greven CU, Buitelaar JK, Variation in the Early Trajectories of Autism Symptoms Is Related to the Development of Language, Cognition, and Behavior Problems, *Journal of the American Academy of Child & Adolescent Psychiatry* (2017), doi: 10.1016/j.jaac.2017.05.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Variation in the Early Trajectories of Autism Symptoms Is Related to the Development of Language, Cognition, and Behavior Problems

RH = Early ASD Trajectories

Janne C. Visser, MD; Nanda N.J. Rommelse, PhD; Martijn Lappenschaar, MD, PhD; Iris J. Servatius-Oosterling, PhD; Corina U. Greven, PhD; Jan K. Buitelaar, MD, PhD

Clinical guidance is available at the end of this article.

Supplemental material cited in this article is available online.

Accepted June 1, 2017

Drs. Visser, Rommelse, Servatius-Oosterling, Greven, and Buitelaar are with Karakter Child and Adolescent Psychiatry University Center, Nijmegen, the Netherlands. Drs. Rommelse and Buitelaar are also with Radboud University Medical Center, Donders Institute for Brain, Cognition and Behavior, Nijmegen. Dr. Greven is also with Radboud University Medical Center, Donders Institute for Brain, Cognition and Behavior, and King's College London, Medical Research Council Social, Genetic and Developmental Psychiatry Centre, Institute of Psychiatry, Psychology and Neuroscience, London. Dr. Lappenschaar is with Radboud University, Nijmegen.

This study was supported by a grant from the Korczak Foundation. Dr. Buitelaar's work for the current paper is supported by the European Community's Seventh Framework Program (FP7/2007-2013) under grant agreement n° 278948 (TACTICS), and the Innovative Medicines Initiative Joint Undertaking under grant agreement number 115300 (EU-AIMS), resources of which are composed of financial contribution from the European Union's Seventh Framework Program (FP7/2007 - 2013) and the European Federation of Pharmaceutical Industries and Associations (EFPIA) companies' in kind contribution. Further, from the European Community's Horizon 2020 Program (H2020/2014 – 2020) under grant agreements n° 643051 (MiND) and n° 642996 (BRAINVIEW). In addition, he is supported by a grant for the ENIGMA Consortium (grant number U54 EB020403) from the BD2K Initiative of NIH.

Dr. Lappenschaar served as the statistical expert for this research.

The authors gratefully acknowledge the cooperation of all parents and children who participated in this study.

Disclosure: Dr. Buitelaar has been a consultant to/member of the advisory board of/and/or speaker for Janssen Cilag BV, Medice, Novartis, and Servier. He is neither an employee nor a stock shareholder of any of these companies. Drs. Visser, Rommelse, Lappenschaar,

Download English Version:

<https://daneshyari.com/en/article/4931410>

Download Persian Version:

<https://daneshyari.com/article/4931410>

[Daneshyari.com](https://daneshyari.com)