

Accepted Manuscript

Early life experience contributes to the developmental programming of depressive-like behaviour, neuroinflammation and oxidative stress

Gislaine Z. Réus, Gabrielly C. Fernandes, Airam B. de Moura, Ritele H. Silva, Ana Caroline Darabas, Thays G. de Souza, Helena M. Abelaira, Celso Carneiro, Diogo Wendhausen, Monique Michels, Bruna Pescador, Felipe Dal-Pizzol, Danielle S. Macêdo, João Quevedo



PII: S0022-3956(17)30535-6

DOI: [10.1016/j.jpsychires.2017.08.020](https://doi.org/10.1016/j.jpsychires.2017.08.020)

Reference: PIAT 3195

To appear in: *Journal of Psychiatric Research*

Received Date: 16 May 2017

Revised Date: 4 August 2017

Accepted Date: 24 August 2017

Please cite this article as: Réus GZ, Fernandes GC, de Moura AB, Silva RH, Darabas AC, de Souza TG, Abelaira HM, Carneiro C, Wendhausen D, Michels M, Pescador B, Dal-Pizzol F, Macêdo DS, Quevedo Joã., Early life experience contributes to the developmental programming of depressive-like behaviour, neuroinflammation and oxidative stress, *Journal of Psychiatric Research* (2017), doi: 10.1016/j.jpsychires.2017.08.020.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Early life experience contributes to the developmental programming of depressive-like behaviour, neuroinflammation and oxidative stress

Gislaine Z. Réus¹, Gabrielly C. Fernandes¹, Airam B. de Moura¹, Ritele H. Silva¹, Ana Caroline Darabas¹, Thays G. de Souza¹, Helena M. Abelaira¹, Celso Carneiro², Diogo Wendhausen², Monique Michels², Bruna Pescador², Felipe Dal-Pizzol^{2,3}, Danielle S. Macêdo⁴, and João Quevedo^{1,5,6,7,8}

¹Laboratory of Neurosciences, Graduate Program in Health Sciences, Health Sciences Unit, University of Southern Santa Catarina, Criciúma, SC, Brazil;

²Laboratory of Experimental Pathophysiology, Graduate Program in Health Sciences, University of Southern Santa Catarina, Criciúma, SC, Brazil;

³Center of Excellence in Applied Neurosciences of Santa Catarina (NENASC), Graduate Program in Medical Sciences, Federal University of Santa Catarina (UFSC), Florianópolis, SC, Brazil;

⁴Neuropharmacology Laboratory, Department of Physiology and Pharmacology, Faculty of Medicine Federal University of Ceara Fortaleza Brazil;

⁵Center of Excellence on Mood Disorders, Department of Psychiatry and Behavioral Sciences, McGovern Medical School, The University of Texas Health Science Center at Houston (UTHealth), Houston, TX, USA;

⁶Translational Psychiatry Program, Department of Psychiatry and Behavioral Sciences, McGovern Medical School, The University of Texas Health Science Center at Houston (UTHealth), Houston, TX, USA;

⁷Department of Clinical Medicine and Translational Psychiatry Research Group, Faculty of Medicine, Federal University of Ceará, Fortaleza, CE, Brazil;

⁸Neuroscience Graduate Program, Graduate School of Biomedical Sciences, The University of Texas Health Science Center at Houston (UTHealth), Houston, TX, USA.

*Corresponding author:

Gislaine Z. Réus, PhD

Laboratory of Neurosciences

University of Southern Santa Catarina

Criciúma, SC, 88806-000, Brazil

Phone: 55 48 3431-2792

E-mail: gislainezilli@hotmail.com

Download English Version:

<https://daneshyari.com/en/article/4931982>

Download Persian Version:

<https://daneshyari.com/article/4931982>

[Daneshyari.com](https://daneshyari.com)