Accepted Manuscript



Brain-predicted age in Down Syndrome is associated with β-amyloid deposition and cognitive decline

James H. Cole, Tiina Annus, Liam R. Wilson, Ridhaa Remtulla, Young T. Hong, Tim D. Fryer, Julio Acosta-Cabronero, Arturo Cardenas-Blanco, Robert Smith, David K. Menon, Shahid H. Zaman, Peter J. Nestor, Anthony J. Holland

PII: S0197-4580(17)30124-0

DOI: 10.1016/j.neurobiolaging.2017.04.006

Reference: NBA 9901

To appear in: *Neurobiology of Aging*

Received Date: 8 December 2016

Revised Date: 9 March 2017

Accepted Date: 9 April 2017

Please cite this article as: Cole, J.H., Annus, T., Wilson, L.R., Remtulla, R., Hong, Y.T., Fryer, T.D., Acosta-Cabronero, J., Cardenas-Blanco, A., Smith, R., Menon, D.K., Zaman, S.H., Nestor, P.J., Holland, A.J., Brain-predicted age in Down Syndrome is associated with β-amyloid deposition and cognitive decline, *Neurobiology of Aging* (2017), doi: 10.1016/j.neurobiolaging.2017.04.006.

Brain-predicted age in Down Syndrome is associated with β-amyloid deposition and cognitive decline

Authors:

James H. Cole[a], Tiina Annus[b], Liam R. Wilson[b], Ridhaa Remtulla[c], Young T. Hong[d], Tim D. Fryer[d], Julio Acosta-Cabronero[e], Arturo Cardenas-Blanco[e], Robert Smith[d], David K. Menon[f], Shahid H. Zaman[b], Peter J. Nestor[e], Anthony J. Holland[b]

Affiliations:

[a] Computational, Cognitive & Clinical Neuroimaging Laboratory (C3NL), Division of Brain Sciences, Imperial College London, London, UK.

[b] Cambridge Intellectual and Developmental Disabilities Research Group, Department of Psychiatry, University of Cambridge, Cambridge, UK.

[c] University of Birmingham, Birmingham, UK.

[d] Wolfson Brain Imaging Centre, University of Cambridge, UK

[e] German Center for Neurodegenerative Diseases (DZNE), Magdeburg, Germany

[f] Division of Anaesthesia, Department of Medicine, University of Cambridge, UK

Corresponding Author:

James H Cole

C3NL, 3rd Floor, Burlington Danes Building, Hammersmith Hospital, Du Cane Road, London, W12 0NN

james.cole@imperial.ac.uk