

Author's Accepted Manuscript

The role of premorbid personality and social cognition in suicidal behaviour in first-episode psychosis: a one-year follow-up study

Manuel Canal-Rivero, J.D. Lopez-Moriñigo, M.L. Barrigón, S. Perona-Garcelán, C. Jimenez-Casado, A.S. David, J.E. Obiols-Llandrich, M. Ruiz-Veguilla



PII: S0165-1781(17)30189-0
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.05.050>
Reference: PSY10544

To appear in: *Psychiatry Research*

Received date: 15 February 2017
Revised date: 21 April 2017
Accepted date: 30 May 2017

Cite this article as: Manuel Canal-Rivero, J.D. Lopez-Moriñigo, M.L. Barrigón, S. Perona-Garcelán, C. Jimenez-Casado, A.S. David, J.E. Obiols-Llandrich and M. Ruiz-Veguilla, The role of premorbid personality and social cognition in suicidal behaviour in first-episode psychosis: a one-year follow-up study *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.05.050>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

The role of premorbid personality and social cognition in suicidal behaviour in first-episode psychosis: a one-year follow-up study

Canal-Rivero, Manuel^{a,b,c.}, Lopez-Moriñigo, J.D^{c.}, Barrigón, M.L^{d.}, Perona-Garcelán, S^{a,e.}, Jimenez-Casado, C^{a.}, David, A.S^{c.}, Obiols-Llandrich, J.E^{b*}, Ruiz-Veguilla, M^{f**}.

^aVirgen del Rocío University Hospital, Seville, Spain.

^bDepartment of Clinical and Health Psychology, Universitat Autònoma de Barcelona, Barcelona, Spain.

^cDepartment of Psychosis Studies, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK.

^dDepartment of Psychiatry, Hospital Fundación Jiménez Díaz and IIS Fundación Jiménez Díaz, Madrid, Spain. Universidad Autónoma de Madrid, Madrid, Spain.

^eDepartment of Personality, Evaluation and Psychological Treatment, University of Seville, Seville, Spain.

^fGrupo Neurodesarrollo y Psicosis Instituto de Biomedicina de Sevilla (IBIS), Hospital Universitario Virgen del Rocío/CSIC/Universidad de Sevilla UGC Salud Mental HVR.

*Co-corresponding author

**Corresponding author

Abstract

Background:

High suicide attempt (SA) rates have been reported in first-episode psychosis (FEP) patients, particularly during the first year after the illness onset. Despite previous studies establishing several risk factors for suicidal behaviour in FEP, premorbid personality and social cognition have not been sufficiently investigated to date.

Objective:

Download English Version:

<https://daneshyari.com/en/article/4933034>

Download Persian Version:

<https://daneshyari.com/article/4933034>

[Daneshyari.com](https://daneshyari.com)