Author's Accepted Manuscript

Relationships among alexithymia, therapeutic alliance, and psychotherapy outcome in major depressive disorder

Lena C. Quilty, Graeme J. Taylor, Carolina McBride, R. Michael Bagby



www.elsevier.com/locate/psychres

PII: S0165-1781(16)32030-3

DOI: http://dx.doi.org/10.1016/j.psychres.2017.04.047

Reference: PSY10473

To appear in: Psychiatry Research

Received date: 8 December 2016 Revised date: 7 April 2017 Accepted date: 23 April 2017

Cite this article as: Lena C. Quilty, Graeme J. Taylor, Carolina McBride and R Michael Bagby, Relationships among alexithymia, therapeutic alliance, and psychotherapy outcome in major depressive disorder, *Psychiatry Research* http://dx.doi.org/10.1016/j.psychres.2017.04.047

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Relationships among alexithymia, therapeutic alliance, and psychotherapy outcome in major depressive disorder

Lena C. Quilty^{a,b*}, Graeme J. Taylor^{b,c}, Carolina McBride^b, R. Michael Bagby^{b,d}

^aCampbell Family Mental Health Research Institute, Centre for Addiction and Mental Health, 250 College Street, Toronto, ON, M5T 1R8, Canada

^bDepartment of Psychiatry, University of Toronto, 250 College Street, Toronto, ON, M5T 1R8, Canada

^cDepartment of Psychiatry, Mount Sinai Hospital, 600 University Avenue, Toronto, ON, M5G 1X5, Canada

^dDepartment of Psychology, University of Toronto, 100 St. George Street, Toronto, ON, M5S 3G3, Canada

*Corresponding author at: Campbell Family Mental Health Research Institute, Centre for Addiction and Mental Health, 250 College Street, Suite 648, Toronto, Ontario M5T1R8, Canada.

Tel.: + 1 416 535-8501, ext. 34313; fax: + 1 416 260-4125; lena.quilty@camh.ca

Abstract

Previous studies have found that alexithymia predicts process and outcome of psychodynamic psychotherapy across a range of psychiatric disorders. There is preliminary evidence that alexithymia may exert its effects on outcome through the therapist. Other studies have found that alexithymia does not influence outcome of cognitive-behavioral therapy (CBT). The aim of the current study was to investigate the capacity of alexithymia to predict therapist- and patient-rated therapeutic alliance and response to CBT and interpersonal psychotherapy (IPT) for major depressive disorder. A total of 75 adults with major depressive disorder were randomized to

Download English Version:

https://daneshyari.com/en/article/4933121

Download Persian Version:

https://daneshyari.com/article/4933121

<u>Daneshyari.com</u>