

Author's Accepted Manuscript

Taxometric Analyses and Predictive Accuracy of Callous-Unemotional Traits Regarding Quality of Life and Behavior Problems in non-Conduct Disorder Diagnoses

Pierre C.M. Herpers, Helen Klip, Nanda N.J. Rommelse, Mark J. Taylor, Corina U. Greven, Jan K. Buitelaar



PII: S0165-1781(15)30888-X
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.04.004>
Reference: PSY10428

To appear in: *Psychiatry Research*

Received date: 30 December 2015

Revised date: 19 March 2017

Accepted date: 2 April 2017

Cite this article as: Pierre C.M. Herpers, Helen Klip, Nanda N.J. Rommelse, Mark J. Taylor, Corina U. Greven and Jan K. Buitelaar, Taxometric Analyses and Predictive Accuracy of Callous-Unemotional Traits Regarding Quality of Life and Behavior Problems in non-Conduct Disorder Diagnoses, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.04.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Taxometric Analyses and Predictive Accuracy of Callous-Unemotional Traits
Regarding Quality of Life and Behavior Problems in non-Conduct Disorder
Diagnoses**

Pierre C.M. Herpers^{a,b*}, Helen Klip^a, Nanda N.J. Rommelse^{a,b}, Mark J. Taylor^c,
Corina U. Greven^{a,d,e}, Jan K. Buitelaar^{a,d}

^a*Karakter, Child and Adolescent Psychiatry, University Center, Reinier Postlaan 12, 6525
GC Nijmegen, The Netherlands*

^b*Radboud University Medical Center, Donders Institute for Brain, Cognition and Behaviour,
Department of Psychiatry, Kapittelweg 29, 6525 EN Nijmegen, The Netherlands*

^c*Karolinska Institutet, Department of Medical Epidemiology & Biostatistics, Nobels väg 12A,
Stockholm 17177, Sweden*

^d*Radboud University Medical Center, Donders Institute for Brain, Cognition and Behaviour,
Department of Cognitive Neuroscience, Kapittelweg 29, 6525 EN Nijmegen, The Netherlands*

^e*King's College London, Medical Research Council Social, Genetic & Developmental
Psychiatry Centre, Institute of Psychiatry, Psychology & Neuroscience, De Crespigny Park,
London SE5 8AF, United Kingdom*

*Corresponding author: Pierre C.M. Herpers; Tel: +3124 3512222; Fax: +3124 3512211;

Email: p.herpers@karakter.com

Abstract

Callous-unemotional (CU) traits have mainly been studied in relation to conduct disorder (CD), but can also occur in other disorder groups. However, it is unclear whether there is a clinically relevant cut-off value of levels of CU traits in predicting reduced quality of

Download English Version:

<https://daneshyari.com/en/article/4933313>

Download Persian Version:

<https://daneshyari.com/article/4933313>

[Daneshyari.com](https://daneshyari.com)