Author's Accepted Manuscript

The 10-year Course of Adult Aggression toward Others in Patients with Borderline Personality Disorder and Axis II Comparison Subjects

Mary C. Zanarini, Christina M. Temes, Alexandra M. Ivey, Danielle M. Cohn, Lindsey C. Conkey, Frances R. Frankenburg, Garrett M. Fitzmaurice



www.elsevier.com/locate/psvchres

PII: S0165-1781(16)31370-1

http://dx.doi.org/10.1016/j.psychres.2017.02.054 DOI:

PSY10356 Reference:

To appear in: Psychiatry Research

Received date: 17 August 2016 Revised date: 21 December 2016 Accepted date: 23 February 2017

Cite this article as: Mary C. Zanarini, Christina M. Temes, Alexandra M. Ivey Danielle M. Cohn, Lindsey C. Conkey, Frances R. Frankenburg and Garrett M Fitzmaurice, The 10-year Course of Adult Aggression toward Others in Patients with Borderline Personality Disorder and Axis II Comparison Subjects Psychiatry Research, http://dx.doi.org/10.1016/j.psychres.2017.02.054

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

The 10-year Course of Adult Aggression toward Others in Patients with Borderline Personality Disorder and Axis II Comparison Subjects

Mary C. Zanarini^{a,b1}, Christina M. Temes^{a,b}, Alexandra M. Ivey^c, Danielle M. Cohn^d, Lindsey C. Conkey^a, Frances R. Frankenburg^e, Garrett M. Fitzmaurice^b

zanarini@mclean.harvard.edu.

Abstract

This study had two aims. The first was to assess and compare various types of aggressive behavior toward others reported by borderline patients and axis II comparison subjects over time. The second was to determine the best baseline and time-varying predictors of aggressive behavior in these borderline patients. At baseline, a series of interviews and self-report measures were administered to 290 borderline patients and 72 axis II comparison subjects. Measures assessing aggression toward others, axis I and II disorders as well as adult adversity were re-administered every two years over the course of ten years. It was found that borderline patients reported significantly higher rates of verbal, emotional, and physical aggression toward others than comparison subjects but the rates of these forms of aggression toward others declined significantly for those in both study groups. Multivariate analyses indicated that the strongest predictors of adult aggression towards others were severity of adult adversity and a substance use disorder. Taken together, these results suggest that borderline patients commonly report aggression toward others but that this aggression

^aLaboratory for the Study of Adult Development, McLean Hospital, Belmont, MA, USA

^bDepartment of Psychiatry, Harvard Medical School, Boston, MA, USA

^cDepartment of Psychology, University of Hartford, Hartford, CT, USA

^dDepartment of Psychology, American University, Washington, DC, USA

^eDepartment of Psychiatry, Boston University School of Medicine, Boston, MA, USA

¹ Address reprint requests to Dr. Zanarini, McLean Hospital, 115 Mill Street, Belmont, Massachusetts 02478; phone: 617-855-2660; fax: 617-855-3580

Download English Version:

https://daneshyari.com/en/article/4933410

Download Persian Version:

https://daneshyari.com/article/4933410

<u>Daneshyari.com</u>