Author's Accepted Manuscript

ADHD and nonsuicidal self-injury in male veterans with and without PTSD

Nathan A. Kimbrel, Laura C. Wilson, John T. Mitchell, Eric C. Meyer, Bryann B. DeBeer, Paul J. Silvia, Kim L. Gratz, Patrick S. Calhoun, Jean C. Beckham, Sandra B. Morissette



www.elsevier.com/locate/psychres

PII: S0165-1781(16)31558-X

DOI: http://dx.doi.org/10.1016/j.psychres.2017.02.015

Reference: PSY10306

To appear in: Psychiatry Research

Received date: 12 September 2016 Revised date: 17 January 2017 Accepted date: 5 February 2017

Cite this article as: Nathan A. Kimbrel, Laura C. Wilson, John T. Mitchell, Eric C. Meyer, Bryann B. DeBeer, Paul J. Silvia, Kim L. Gratz, Patrick S. Calhoun Jean C. Beckham and Sandra B. Morissette, ADHD and nonsuicidal self-injurin male veterans with and without PTSD, *Psychiatry Research* http://dx.doi.org/10.1016/j.psychres.2017.02.015

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ADHD AND NONSUICIDAL SELF-INJURY

ADHD and nonsuicidal self-injury in male veterans with and without PTSD

Nathan A. Kimbrel, ^{a,b,c} *Laura C. Wilson, ^d John T. Mitchell, ^c Eric C. Meyer, ^{e,f,g}, Bryann B. DeBeer, ^{e,f,g} Paul J. Silvia, ^h Kim L. Gratz, ⁱ Patrick S. Calhoun, ^{a,b,c,j}, Jean C. Beckham, ^{a,b,c} & Sandra B. Morissette^k

*Correspondence concerning this article should be sent to: Dr. Nathan A. Kimbrel, Durham Veterans Affairs Medical Center, 508 Fulton Street, Durham, NC, 27705. Phone: (919) 286-0411, ext. 6759. Nathan.Kimbrel@va.gov.

Abstract

The objective of the present research was to examine the association between ADHD symptoms and nonsuicidal self-injury (NSSI) in male Iraq/Afghanistan-era veterans with and without PTSD. Approximately 25% of veterans screened positive for clinically-significant levels of ADHD. Male veterans with PTSD were significantly more likely to report ADHD symptoms than male veterans without PTSD. In addition, as expected, ADHD was strongly associated with

^a VA Mid-Atlantic Mental Illness Research, Education, and Clinical Center; Durham, NC, USA

^b Durham Veterans Affairs Medical Center, Durham, NC, USA

^c Duke University Medical Center, Durham, NC, USA

^d University of Mary Washington, Fredericksburg, Virginia, USA

^e VISN 17 Center of Excellence for Research on Returning War Veterans, Waco, TX, USA

^f Central Texas Veterans Health Care System, Temple, TX, USA

^g Texas A&M University Health Science Center, College Station, TX, USA

^h University of North Carolina at Greensboro, Greensboro, NC, USA

^IUniversity of Toledo, Toledo, OH, USA

^j VA Center for Health Services Research in Primary Care, Durham, NC, USA

^kThe University of Texas at San Antonio, San Antonio, TX, USA

Download English Version:

https://daneshyari.com/en/article/4933441

Download Persian Version:

https://daneshyari.com/article/4933441

<u>Daneshyari.com</u>