Author's Accepted Manuscript

Cannabis Use and the Course and Outcome of Major Depressive Disorder: a Population Based Longitudinal Study

Daniel Feingold, Jürgen Rehm, Shaul Lev-Ran



www.elsevier.com/locate/psvchres

PII: S0165-1781(16)31187-8

DOI: http://dx.doi.org/10.1016/j.psychres.2017.02.027

PSY10321 Reference:

To appear in: Psychiatry Research

Received date: 17 July 2016 Revised date: 8 December 2016 Accepted date: 11 February 2017

Cite this article as: Daniel Feingold, Jürgen Rehm and Shaul Lev-Ran, Cannabi Use and the Course and Outcome of Major Depressive Disorder: a Population Study, Psychiatry Longitudinal Research http://dx.doi.org/10.1016/j.psychres.2017.02.027

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Cannabis Use and the Course and Outcome of Major Depressive Disorder: a Population Based Longitudinal Study

Daniel Feingold a,b,* , Jürgen Rehm c,d,e and Shaul Lev-Ran b,c,f

^aAriel University, Ariel, Israel.

^{b2}Lev-Hasharon Medical Center, Pardesiya, Israel.

^cSocial and Epidemiological Research Department, Centre for Addiction and Mental Health, Toronto, Ontario, Canadad

^dDalla Lana School of Public Health, University of Toronto, Toronto, Ontario, Canada

^e Technische Universität Dresden, Klinische Psychologie & Psychotherapie, Dresden, Germany

^f Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel.

* Corresponding author at Lev-Hasharon Medical Center, Pardesiya, Israel. Mail address: Pardesiya, PO box 90000, Israel. Telephone: 972-(0)98981111 Email: d.y.feingold@gmail.com

Abstract

Cannabis use has been reported to affect the course of various psychiatric disorders, however its effect on the course of major depressive disorder (MDD) is not yet clear. We used data from Wave 1 and Wave 2 of the National Epidemiologic survey on Alcohol and Related Conditions (NESARC). Individuals with baseline MDD (N=2,348) were included in the study. Cannabis

Download English Version:

https://daneshyari.com/en/article/4933576

Download Persian Version:

https://daneshyari.com/article/4933576

<u>Daneshyari.com</u>