


Accepted Manuscript

How far we can go with extractive text summarization? Heuristic methods to obtain near upper bounds

W.M. Wang , Z. Li , J.W. Wang , Z.H. Zheng

PII: S0957-4174(17)30586-9
DOI: [10.1016/j.eswa.2017.08.040](https://doi.org/10.1016/j.eswa.2017.08.040)
Reference: ESWA 11509



To appear in: *Expert Systems With Applications*

Received date: 18 May 2017
Revised date: 21 August 2017
Accepted date: 22 August 2017

Please cite this article as: W.M. Wang , Z. Li , J.W. Wang , Z.H. Zheng , How far we can go with extractive text summarization? Heuristic methods to obtain near upper bounds, *Expert Systems With Applications* (2017), doi: [10.1016/j.eswa.2017.08.040](https://doi.org/10.1016/j.eswa.2017.08.040)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We propose 9 heuristics to construct near upper bounds for extractive summarization
- The proposed methods are faster and have close results to the exhaustive search
- We construct the sentence-based and word-based near upper bounds for 5 different corpora
- We evaluate 6 general extractive summarization methods across the 5 corpora

Download English Version:

<https://daneshyari.com/en/article/4942986>

Download Persian Version:

<https://daneshyari.com/article/4942986>

[Daneshyari.com](https://daneshyari.com)