


Author's Accepted Manuscript

An empirical study of transaction throughput thrashing across multiple relational DBMSes

Young-Kyoon Suh, Richard T. Snodgrass, Sabah Currim



PII: S0306-4379(15)30167-8
DOI: <http://dx.doi.org/10.1016/j.is.2016.12.004>
Reference: IS1192

To appear in: *Information Systems*

Received date: 17 November 2015
Revised date: 8 August 2016
Accepted date: 21 December 2016

Cite this article as: Young-Kyoon Suh, Richard T. Snodgrass and Sabah Currim. An empirical study of transaction throughput thrashing across multiple relational DBMSes, *Information Systems*, <http://dx.doi.org/10.1016/j.is.2016.12.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

An Empirical Study of Transaction Throughput Thrashing Across Multiple Relational DBMSes

Young-Kyoon Suh^{a,1,*}, Richard T. Snodgrass^a, Sabah Currim^a

^a*University of Arizona, Tucson, Arizona, 85721*

Abstract

Modern DBMSes are designed to support many transactions running simultaneously. DBMS thrashing is indicated by the existence of a sharp drop in transaction throughput. Thrashing behavior in DBMSes is a serious concern to database administrators (DBAs) as well as to DBMS implementers. From an engineering perspective, therefore, it is of critical importance to understand the causal factors of DBMS thrashing. However, understanding the origin of thrashing in modern DBMSes is challenging, due to many factors that may interact with each other.

This article aims to better understand the thrashing phenomenon across multiple DBMSes. We identify some of the underlying causes of DBMS thrashing. We then propose a novel structural causal model to explicate the relationships between various factors contributing to DBMS thrashing. Our model derives a number of specific hypotheses to be subsequently tested across DBMSes, providing empirical support for this model as well as important engineering implications for improvements in transaction processing.

Keywords: DBMS Thrashing, Transaction, Throughput, Factors, Structural Causal Model, Empirical Study

*Corresponding author

Email addresses: ^ayksuh@kisti.re.kr (Young-Kyoon Suh), ^brts@cs.arizona.edu (Richard T. Snodgrass), ^cscurrim@email.arizona.edu (Sabah Currim)

¹Current address: Supercomputing R&D Center, KISTI, Daejeon, Republic of Korea, 34141

Download English Version:

<https://daneshyari.com/en/article/4945135>

Download Persian Version:

<https://daneshyari.com/article/4945135>

[Daneshyari.com](https://daneshyari.com)