

Author's Accepted Manuscript

Exploiting Haptic Facets: Users' Sensemaking Schemas as a Path to Design and Personalization of Experience

Hasti Seifi, Karon MacLean



PII: S1071-5819(17)30061-7
DOI: <http://dx.doi.org/10.1016/j.ijhcs.2017.04.003>
Reference: YIJHC2121

To appear in: *Journal of Human Computer Studies*

Received date: 2 August 2016
Revised date: 29 March 2017
Accepted date: 23 April 2017

Cite this article as: Hasti Seifi and Karon MacLean, Exploiting Haptic Facets Users' Sensemaking Schemas as a Path to Design and Personalization of Experience, *Journal of Human Computer Studies* <http://dx.doi.org/10.1016/j.ijhcs.2017.04.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 3 |
| 1.1 | <i>Facets</i> : Aligning content access with mental frameworks | 5 |
| 1.2 | Research questions | 8 |
| 1.3 | Scope | 8 |
| 2 | Related Work | 9 |
| 2.1 | Tools for vibrotactile design and personalization | 9 |
| 2.2 | Knowledge of perceptual and qualitative attributes of vibrations | 10 |
| 2.3 | Methodology for evaluating qualitative attributes of vibrations . | 10 |
| 2.4 | Instruments for evaluating haptic sensations | 10 |
| 3 | Approach | 11 |
| 3.1 | Rich source vibrations | 11 |
| 3.2 | Inclusive and concise annotation instrument, for a flat descriptor set | 11 |
| 3.3 | Scalable and robust data collection methodology | 12 |
| 3.4 | Data analysis methods | 13 |
| 4 | Data Collection and Pre-processing | 13 |
| 4.1 | Stage 1: Annotation by haptic experts | 13 |
| 4.2 | Stage 2: Validation of the dataset by lay users | 15 |
| 4.3 | Pre-processing of the dataset | 18 |
| 4.4 | Definition of analysis metrics | 18 |
| 5 | Analysis and Results | 18 |
| 5.1 | [Q1] Facet Substructure: What are the underlying facet dimensions that dominate user reactions to vibrations? | 18 |
| 5.1.1 | Our five rating scales | 22 |
| 5.2 | [RQ2] Between-Facet Linkages: How are attributes and dimensions linked across facets? | 22 |
| 5.2.1 | Dimension level: Are there linkages or correlations among the identified dimensions of various facets? What factors can describe these correlations? | 22 |
| 5.2.2 | Tag level: How do tags in the different facets correlate? | 23 |
| 5.3 | [RQ3] Individual differences: To what extent do people coincide or differ in their assessment of vibration attributes? | 24 |
| 5.3.1 | Per facet | 24 |
| 5.3.2 | Per rating | 24 |
| 5.3.3 | Per tag | 25 |
| 5.3.4 | Per vibration | 25 |
| 5.4 | Methodology: How does staged data collection impact annotation quality? | 26 |

Download English Version:

<https://daneshyari.com/en/article/4945766>

Download Persian Version:

<https://daneshyari.com/article/4945766>

[Daneshyari.com](https://daneshyari.com)