

## Accepted Manuscript

A sequential multi-fidelity metamodeling approach for data regression

Qi Zhou , Yan Wang , Seung-Kyum Choi , Ping Jiang ,  
Xinyu Shao , Jiexiang Hu

PII: S0950-7051(17)30355-6  
DOI: [10.1016/j.knosys.2017.07.033](https://doi.org/10.1016/j.knosys.2017.07.033)  
Reference: KNOSYS 3997



To appear in: *Knowledge-Based Systems*

Received date: 3 February 2017  
Revised date: 22 July 2017  
Accepted date: 25 July 2017

Please cite this article as: Qi Zhou , Yan Wang , Seung-Kyum Choi , Ping Jiang , Xinyu Shao , Jiexiang Hu , A sequential multi-fidelity metamodeling approach for data regression, *Knowledge-Based Systems* (2017), doi: [10.1016/j.knosys.2017.07.033](https://doi.org/10.1016/j.knosys.2017.07.033)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- A sequential multi-fidelity (SMF) metamodeling approach is proposed.
- Different fidelity information can be incorporated in SMF metamodeling process.
- Where to allocate low-fidelity (LF) and high-fidelity (HF) sample points is solved.
- How to split the total computational budget between LF and HF models is addressed.
- The effectiveness and merits of the proposed SMF method are tested on three cases.

Download English Version:

<https://daneshyari.com/en/article/4946076>

Download Persian Version:

<https://daneshyari.com/article/4946076>

[Daneshyari.com](https://daneshyari.com)