
## Accepted Manuscript

Whole-brain functional connectome-based multivariate classification of post-stroke aphasia

 $\operatorname{Mi}$  Yang , Jiao Li , Zhiqiang Li , Dezhong Yao , Wei Liao , Huafu Chen

PII:S0925-2312(17)30999-2DOI:10.1016/j.neucom.2016.10.094Reference:NEUCOM 18529



To appear in: *Neurocomputing* 

Received date:	14 September 2016
Revised date:	19 October 2016
Accepted date:	26 October 2016

Please cite this article as: Mi Yang, Jiao Li, Zhiqiang Li, Dezhong Yao, Wei Liao, Huafu Chen, Whole-brain functional connectome-based multivariate classification of post-stroke aphasia, *Neuro-computing* (2017), doi: 10.1016/j.neucom.2016.10.094

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Accuracy of classification of patients with PAS and controls reached to 86.5%.
- Consensus connections were located in fronto-parietal and auditory networks.
- Region with the highest weight of classification was the right rolandic

operculum.

1

Download English Version:

## https://daneshyari.com/en/article/4946881

Download Persian Version:

https://daneshyari.com/article/4946881

Daneshyari.com