

Accepted Manuscript

Anomaly Detection Via Short Local Trajectories


Sovan Biswas, R. Venkatesh Babu

PII: S0925-2312(17)30349-1
DOI: [10.1016/j.neucom.2017.02.058](https://doi.org/10.1016/j.neucom.2017.02.058)
Reference: NEUCOM 18132

To appear in: *Neurocomputing*

Received date: 6 October 2015
Revised date: 19 December 2016
Accepted date: 14 February 2017

Please cite this article as: Sovan Biswas, R. Venkatesh Babu, Anomaly Detection Via Short Local Trajectories, *Neurocomputing* (2017), doi: [10.1016/j.neucom.2017.02.058](https://doi.org/10.1016/j.neucom.2017.02.058)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Anomaly Detection Via Short Local Trajectories

Sovan Biswas & R. Venkatesh Babu

*Supercomputer Education and Research Centre,
Indian Institute of Science,
Bangalore, India
Tel.: +91-944-857-0970
Fax: +91-80-2360-2648*

Abstract

Trajectory provides an important motion cue in describing the behavior of the moving object and can be used effectively for anomaly detection. But traditional trajectories or tracklets used for analysis have limitations due to various tracking irregularities. In this paper, we propose a novel idea of detecting anomalies in a video, based on short history of a region in motion. These histories are defined as short local trajectories (SLT). In contrast to traditional tracklets, these SLTs are extracted for super-pixels belonging to foreground objects. This captures both spatial and temporal information of a candidate moving object. Furthermore, the proposed trajectory extraction is suitable across videos having different crowd density, occlusions, etc. The trajectories of persons/objects at a particular location under usual condition have certain attributes. Thus, we have used Hidden Markov Model (HMM) for characterizing the usual trajectory patterns for each defined region. The proposed algorithm takes SLTs as observations and measures the likelihood for each super-pixel of being anomaly based on learned HMMs. In order to avoid the influence of noisy trajectories, we have computed spatial consistency measure for each SLT based on the neighboring trajectories. Thus, anomalies detected by the proposed approach are highly localized as demonstrated from the experiments conducted on three anomaly datasets, namely UCSD Ped1, Ped2 and a newly proposed CHUK-Crowd Anomaly Dataset.

Keywords:

Anomaly detection, Short local trajectory, super-pixels, Hidden Markov Model

Download English Version:

<https://daneshyari.com/en/article/4947520>

Download Persian Version:

<https://daneshyari.com/article/4947520>

[Daneshyari.com](https://daneshyari.com)