

Accepted Manuscript

Recovering highly-complex linear recurrences of integer sequences

Gadi Aleksandrowicz, Andrei Asinowski, Gill Barequet, Ronnie Barequet


PII: S0020-0190(17)30128-X
DOI: <http://dx.doi.org/10.1016/j.ipl.2017.07.006>
Reference: IPL 5562

To appear in: *Information Processing Letters*

Received date: 31 July 2015
Revised date: 12 June 2017
Accepted date: 7 July 2017

Please cite this article in press as: G. Aleksandrowicz et al., Recovering highly-complex linear recurrences of integer sequences, *Inf. Process. Lett.* (2017), <http://dx.doi.org/10.1016/j.ipl.2017.07.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The Berlekamp–Massey algorithm is used for recovering complex linear recurrences.
- The Chinese Remainder Theorem breaks the problem into simpler subproblems.
- Method is used for recovering formulae enumerating polyominoes on twisted cylinders.

Download English Version:

<https://daneshyari.com/en/article/4950872>

Download Persian Version:

<https://daneshyari.com/article/4950872>

[Daneshyari.com](https://daneshyari.com)