Accepted Manuscript



Kleisli, Parikh and Peleg Compositions and Liftings for Multirelations

Hitoshi Furusawa, Yasuo Kawahara, Georg Struth, Norihiro Tsumagari

PII: S2352-2208(17)30081-0
DOI: http://dx.doi.org/10.1016/j.jlamp.2017.04.002
Reference: JLAMP 177

To appear in: *Journal of Logical and Algebraic Methods in Programming*

Received date: 1 February 2016
Revised date: 27 April 2017
Accepted date: 28 April 2017

Please cite this article in press as: H. Furusawa et al., Kleisli, Parikh and Peleg Compositions and Liftings for Multirelations, *J. Log. Algebraic Methods Program.* (2017), http://dx.doi.org/10.1016/j.jlamp.2017.04.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Relational formalisations of Kleisli, Parikh and Peleg compositions and liftings of multirelations are provided.
- Some of properties of these compositions are clarified in relation-algebraic style.
- Subclasses of multirelations that form categories with each composition are given.

Download English Version:

https://daneshyari.com/en/article/4951399

Download Persian Version:

https://daneshyari.com/article/4951399

Daneshyari.com