Accepted Manuscript

Optimum benefit protocol: A fast converging, bandwidth-efficient decentralized similarity overlay

I.F. Bukhari, A. Harwood, S. Karunasekera

PII: S0743-7315(17)30164-8

DOI: http://dx.doi.org/10.1016/j.jpdc.2017.05.013

Reference: YJPDC 3681

To appear in: J. Parallel Distrib. Comput.

Received date: 14 January 2016 Revised date: 21 March 2017 Accepted date: 20 May 2017



Please cite this article as: I.F. Bukhari, A. Harwood, S. Karunasekera, Optimum benefit protocol: A fast converging, bandwidth-efficient decentralized similarity overlay, *J. Parallel Distrib. Comput.* (2017), http://dx.doi.org/10.1016/j.jpdc.2017.05.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

*Highlights (for review)

- Proposed a new gossip-based similarity overlay protocol, OBP.
- \bullet OBP addresses the $long\ tail\ convergence$ problem of existing similarity overlays.
- \bullet OBP consumes 80% less bandwidth than existing protocols.
- \bullet OBP uses a novel $node\ selection\ strategy$ for gossip.
- OBP demonstrates superior performance with real datasets.

Download English Version:

https://daneshyari.com/en/article/4951606

Download Persian Version:

https://daneshyari.com/article/4951606

<u>Daneshyari.com</u>