Accepted Manuscript

A generalized neighborhood for cellular automata

Dmitry A. Zaitsev

PII:	\$0304-3975(16)30591-6
DOI:	http://dx.doi.org/10.1016/j.tcs.2016.11.002
Reference:	TC\$ 10961
To appear in:	Theoretical Computer Science

Received date:24 June 2016Revised date:26 October 2016Accepted date:3 November 2016



Please cite this article in press as: D.A. Zaitsev, A generalized neighborhood for cellular automata, *Theoret. Comput. Sci.* (2016), http://dx.doi.org/10.1016/j.tcs.2016.11.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A generalized neighborhood for multi-dimensional cellular automata is introduced.
 It spans the range from von Neumann's to Moore's neighborhood using a parameter.
 The parameter equals the dimension of hypercubes connecting neighboring cells.

- Neighbors are enumerated in infinite and finite hypercubes and hypertoruses.
- A sequence is obtained whose partial sums equal Delannoy numbers.

Download English Version:

https://daneshyari.com/en/article/4952235

Download Persian Version:

https://daneshyari.com/article/4952235

Daneshyari.com