

Accepted Manuscript

Cross-validation based K nearest neighbor imputation for software quality datasets: An empirical study

Jianglin Huang , Jacky Wai Keung , Federica Sarro , Yan-Fu Li , Y.T. Yu , W.K. Chan , Hongyi Sun

PII: S0164-1212(17)30151-6
DOI: [10.1016/j.jss.2017.07.012](https://doi.org/10.1016/j.jss.2017.07.012)
Reference: JSS 10005



To appear in: *The Journal of Systems & Software*

Received date: 16 February 2016
Revised date: 6 July 2017
Accepted date: 12 July 2017

Please cite this article as: Jianglin Huang , Jacky Wai Keung , Federica Sarro , Yan-Fu Li , Y.T. Yu , W.K. Chan , Hongyi Sun , Cross-validation based K nearest neighbor imputation for software quality datasets: An empirical study, *The Journal of Systems & Software* (2017), doi: [10.1016/j.jss.2017.07.012](https://doi.org/10.1016/j.jss.2017.07.012)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Proposing a new *KNN* imputation technique in SEE context
- The new *KNN* imputation outperforms the other approaches
- Evaluating the impact of MM and MP on imputation accuracy
- Finding a good parameter setting of *KNN* imputation for software quality datasets

Download English Version:

<https://daneshyari.com/en/article/4956387>

Download Persian Version:

<https://daneshyari.com/article/4956387>

[Daneshyari.com](https://daneshyari.com)