

Accepted Manuscript

Second order cone programming approach to two-stage network data envelopment analysis

Kun Chen , Joe Zhu

PII: S0377-2217(17)30305-3
DOI: [10.1016/j.ejor.2017.03.074](https://doi.org/10.1016/j.ejor.2017.03.074)
Reference: EOR 14358



To appear in: *European Journal of Operational Research*

Received date: 30 November 2016
Revised date: 9 March 2017
Accepted date: 29 March 2017

Please cite this article as: Kun Chen , Joe Zhu , Second order cone programming approach to two-stage network data envelopment analysis, *European Journal of Operational Research* (2017), doi: [10.1016/j.ejor.2017.03.074](https://doi.org/10.1016/j.ejor.2017.03.074)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Multiplicative efficiency aggregation can be solved in general two-stage networks.
- Multiplicative efficiency aggregation is shown to be a cone structure in disguise.
- The input- and output-oriented models are consistent.
- Inconsistency in additive efficiency decomposition is detected.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4959715>

Download Persian Version:

<https://daneshyari.com/article/4959715>

[Daneshyari.com](https://daneshyari.com)