

## Accepted Manuscript

Title: Movie Genre Classification: A Multi-Label Approach based on Convolutions through Time

Author: Jônatas Wehrmann Rodrigo C. Barros

PII: S1568-4946(17)30511-2

DOI: <http://dx.doi.org/doi:10.1016/j.asoc.2017.08.029>

Reference: ASOC 4419

To appear in: *Applied Soft Computing*

Received date: 5-1-2017

Revised date: 9-8-2017

Accepted date: 14-8-2017



Please cite this article as: Jônatas Wehrmann, Rodrigo C. Barros, Movie Genre Classification: A Multi-Label Approach based on Convolutions through Time, *Applied Soft Computing Journal* (2017), <http://dx.doi.org/10.1016/j.asoc.2017.08.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

Jônatas Wehrmann, Rodrigo C. Barros

June 20, 2017

We present a summary of our findings, as follows:

- Deep features allow better understanding the content of movies.
- CTT modules are capable of learning temporal data, outperforming LSTMs.
- CTT-based methods (but CTT-MMC-S) surpass baseline approaches by large margins.
- CTT-S (audio-based) models outperformed all low-level (audio and video) baselines.
- CTT-based methods outperform LSTMs for all genres albeit being far more simpler.

Download English Version:

<https://daneshyari.com/en/article/4962962>

Download Persian Version:

<https://daneshyari.com/article/4962962>

[Daneshyari.com](https://daneshyari.com)