

Accepted Manuscript

Title: A novel fault diagnosis scheme applying fuzzy clustering algorithms

Author: A. Rodríguez Ramos O. Llanes-Santiago J.M. Bernal de Lázaro C. Cruz Corona A.J. Silva Neto J.L. Verdegay Galdeano



PII: S1568-4946(17)30258-2
DOI: <http://dx.doi.org/doi:10.1016/j.asoc.2017.04.071>
Reference: ASOC 4209

To appear in: *Applied Soft Computing*

Received date: 30-12-2016
Revised date: 13-4-2017
Accepted date: 30-4-2017

Please cite this article as: A. Rodríguez Ramos, O. Llanes-Santiago, J.M. Bernal de Lázaro, C. Cruz Corona, A.J. Silva Neto, J.L. Verdegay Galdeano, A novel fault diagnosis scheme applying fuzzy clustering algorithms, *Applied Soft Computing Journal* (2017), <http://dx.doi.org/10.1016/j.asoc.2017.04.071>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A novel fault diagnosis scheme applying fuzzy clustering algorithms

A. Rodríguez Ramos^a, O. Llanes-Santiago^{a,*}, J. M. Bernal de Lázaro^a, C. Cruz Corona^b, A. J. Silva Neto^c, J. L. Verdegay Galdeano^b

^a*Departamento de Automática y Computación, Universidad Tecnológica de la Habana José Antonio Echeverría, Cujae, La Habana, Cuba*

^b*Departamento de Ciencias de la Computación e Inteligencia Artificial, E.T.S. Ingeniería Informática, Universidad de Granada, España*

^c*Instituto Politécnico da Universidade do Estado do Rio de Janeiro (IPRJ/UERJ), Nova Friburgo, Brazil*

Abstract

In this paper an approach to design data driven based fault diagnosis systems using fuzzy clustering techniques is presented. In this proposal, as a first part of the classification process, the data was pre-processed to eliminate outliers and reduce the confusion. To achieve this, the Noise Clustering and Density Oriented Fuzzy C-Means algorithms were used. Secondly, the Kernel Fuzzy C-Means algorithm was used to achieve greater separability among the classes, and reduce the classification errors. Finally, a third step is developed to optimize the two parameters used in the algorithms in the training stage using the Differential Evolution algorithm. The proposed approach was validated using the nonlinear continuous stirred-tank reactor. The obtained results indicate the feasibility of the proposal.

Keywords: Fault diagnosis, Fuzzy clustering algorithms, Fuzzy kernel algorithms, Optimal parameters.

1. Introduction

In current industries, there is a marked necessity to improve the processes efficiency in order to produce with higher quality besides attending the

*Corresponding author

Email address: orestes@tesla.cujae.edu.cu (O. Llanes-Santiago)

Download English Version:

<https://daneshyari.com/en/article/4963196>

Download Persian Version:

<https://daneshyari.com/article/4963196>

[Daneshyari.com](https://daneshyari.com)