

## Accepted Manuscript

Title: Gaussian bare-bones water cycle algorithm for optimal reactive power dispatch in electrical power systems

Authors: Ali Asghar Heidari, Rahim Ali Abbaspour, Ahmad Rezaee Jordehi



PII: S1568-4946(17)30230-2  
DOI: <http://dx.doi.org/doi:10.1016/j.asoc.2017.04.048>  
Reference: ASOC 4181

To appear in: *Applied Soft Computing*

Received date: 29-3-2016  
Revised date: 21-4-2017  
Accepted date: 23-4-2017

Please cite this article as: Ali Asghar Heidari, Rahim Ali Abbaspour, Ahmad Rezaee Jordehi, Gaussian bare-bones water cycle algorithm for optimal reactive power dispatch in electrical power systems, *Applied Soft Computing Journal* <http://dx.doi.org/10.1016/j.asoc.2017.04.048>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Gaussian bare-bones water cycle algorithm for optimal reactive power dispatch in electrical power systems

Ali Asghar Heidari<sup>a</sup>, Rahim Ali Abbaspour<sup>a</sup>, Ahmad Rezaee Jordehi<sup>b\*</sup>,


<sup>a</sup> School of Surveying and Geospatial Engineering, College of Engineering, University of Tehran, Tehran, Iran

<sup>b</sup> Department of Electrical Engineering, Lashtenesha-Zibakenar Branch, Islamic Azad University, Lashtenesha, Iran

\* Corresponding author. Tel.: +98 1334404642

E-mail addresses: ahmadrezaeejordehi@gmail.com (Ahmad Rezaee Jordehi), as\_heidari@ut.ac.ir (Ali Asghar Heidari), abaspour@ut.ac.ir (Rahim Ali Abbaspour)

## Graphical abstract



## Highlights

- A Gaussian bare-bones water cycle algorithm (NGBWCA) has been developed.
- The proposed algorithm has been applied to optimal reactive power dispatch problem.
- Resistive losses and voltage deviations are the objectives in reactive power dispatch problem.
- The proposed algorithm outperforms some state of the art optimisation algorithms.

Download English Version:

<https://daneshyari.com/en/article/4963383>

Download Persian Version:

<https://daneshyari.com/article/4963383>

[Daneshyari.com](https://daneshyari.com)