

Accepted Manuscript

Recovering scattering obstacles by multi-frequency phaseless far-field data

Bo Zhang, Haiwen Zhang


PII: S0021-9991(17)30397-2
DOI: <http://dx.doi.org/10.1016/j.jcp.2017.05.022>
Reference: YJCPH 7369

To appear in: *Journal of Computational Physics*

Received date: 16 February 2017
Revised date: 21 April 2017
Accepted date: 10 May 2017

Please cite this article in press as: B. Zhang, H. Zhang, Recovering scattering obstacles by multi-frequency phaseless far-field data, *J. Comput. Phys.* (2017), <http://dx.doi.org/10.1016/j.jcp.2017.05.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- An approach is devised to break translation invariance of phaseless far-field pattern.
- The approach relies on using superpositions of two plane waves as incident fields.
- A recursive iteration algorithm in frequencies is developed to recover the obstacle.
- The algorithm is based on multi-frequency phaseless far-field data.

Download English Version:

<https://daneshyari.com/en/article/4967395>

Download Persian Version:

<https://daneshyari.com/article/4967395>

[Daneshyari.com](https://daneshyari.com)